

Medical Management of Miscarriage and Termination of Pregnancy from 12 to 17+6 Weeks

	1				
Classification :	Guidelines				
Authors Name:	Vaness	a Braithwaite,	Tracy Rea a	ind Gha	ly Hanna
Authors Job Title:	-	Early Pregnancy Loss Nurse Specialist, Bereavement Midwife, Obstetric Consultant			
Authors Division:	Materni	ty and Early P	regnancy		
Departments/Group this Document applies to:		ology, Ward 21 , Chaplain, Bere			-
Approval Group: Maternity Guideline Boylow	Group		Date of Ap	proval:	August 2023
Maternity Guideline Review Women's Health CIG	Group,		Last Review	w:	August 2023
			Review Dat	te:	April 2026
Unique Identifier: MIDW/GL/300 Status: Final Version No: 1.2					
Scope: The document applies to all clinical areas that manage women with early pregnancy problems: Ward 21, Emergency Department (ED), Early Pregnancy Unit (EPAU), Day Surgery Unit (DSU), Antenatal and Newborn Screening (ANNB) and Theatres.Document for Public Display: NoThe document also applies to Histopathology who are involved in the process and storage of fetal tissue and to the Chaplaincy and Bereavement Midwife who are involved in the management of the disposal process.Document for Public Display: NoTo be read in conjunction with the following documents: Sensitive disposal for miscarriage, termination of pregnancy up to 17+6 weeks Following pregnancy loss (up to 13 weeks 6 days by scan) Statement of wishes following pregnancy loss (14 weeks to 17+6 weeks) 					





Index	
Following pregnancy loss (up to 13 weeks 6 days by scan)	1
Guideline Statement	
The purpose of this guideline is to enable staff to give high quality care for women and babies in cases	
where there has been a miscarriage or termination of pregnancy between 12 and 17+6 weeks	3
Executive Summary	3
Abbreviations	3
Key Messages	3
1.0 Roles and Responsibilities:	4
1.1 Gynaecologists in conjunction with EPAU for miscarriages and ANNBS for TOP:	4
1.2 Nurses	
1.3 Antenatal and Newborn Screening Midwives (if TOP)	4
2.0 Implementation and dissemination of document	
3.0 Processes and procedures	
3.1 Psychological support	
3.2 Medication	
3.2.2 Mifepristone from 13+0 weeks	
3.2.3 Misoprostol from 13+0 weeks	
3.3 Signs of Life	
3.4 Viewing the baby	
3.5 Taking their baby home	
4.0 Statement of evidence/references	
5.0 Governance	
5.1 Document review history	
5.2 Consultation History	
Appendix 1: Checklist for medical Termination of pregnancy	
Appendix 2: Medical management of miscarriage	
Appendix 3: Postmortem consent form	
Appendix 4: NVF Form	
Appendix 5: Following pregnancy loss (up to 13 weeks 6 days by scan)	
Appendix 6: Statement of wishes following pregnancy loss (14 weeks to 18 weeks)	
Appendix 7: Laboratory Procedures Form	
Appendix 8: Release Form.	
Appendix 9: How to take cytogenetics	
Appendix 10: Cytogenetics form EXAMPLE	41
Appendix 11: Blank Cytogenetics form (oxford regional genetics laboratories test request)	
The following link can be used to access the latest version of this form:	
Oxford Genetics Laboratories joint referral form (ouh.nhs.uk)	
Appendix 12: Cytogenetics / karyotyping consent form EXAMPLE	
Appendix 13: Blank Cytogenetics / karyotyping consent formError! Bookmark not define	ed



Guideline Statement

The purpose of this guideline is to enable staff to give high quality care for women and babies in cases where there has been a miscarriage or termination of pregnancy between 12 and 17+6 weeks

Executive Summary

The document applies to all clinical areas that manage women who have a pregnancy loss between 12 and 17+6 weeks

Abbreviations

- ANNB Antenatal and Newborn Screening
- ARC Antenatal Results and Choices
- CMW Community Midwife
- DSU Day Surgery Unit
- GMC General Medical Council
- ED Emergency Department
- EDD Estimated Date of Delivery
- EDM Electronic Data Management
- EPAU Early Pregnancy Assessment Unit
- PCA Patient Controlled Analgesia
- PRN Pro Re Nata
- SOP Standard Operating Procedure
- TOP Termination of Pregnancy
- USS Ultrasound Scan

Key Messages

 Please cancel any antenatal appointments, including scans and send midwifery letters to the community office, antenatal clinic and operational manager for Women and Children's. Send an email to <u>obs.gynae@mkuh.nhs.uk</u> and <u>obstetricsUltrasound@mkuh.nhs.uk</u> to cancel all future appointments.

• Ensure the families are given a copy of the 'statement' they sign to ensure they have the bereavement midwife's contact details. Please make sure you document the woman's contact number

• If parents wish to take their baby home and it is a miscarriage before 17+6 weeks, they can, but it must go to the mortuary first and signed out from the mortuary, never directly from the ward or ED

• If woman is Rhesus negative – give Anti-D on diagnosis and following miscarriage (Qureshi et al., 2014).

- Women who have a termination of pregnancy from 16 weeks can be cared for on labour ward. 18 weeks if a miscarriage.
- Please refer to the recurrent miscarriage clinic for women who have had 3 recurrent miscarriages
- TOP's to be refer to the fetal medicine midwife who can arrange follow up care
- Women over 14 weeks need a bereavement meeting with Mr Hanna

This document provides information for healthcare professionals caring for women who have had a miscarriage, termination of pregnancy (TOP) between 12 to 17+6 weeks gestation. The aim is to improve the experience of care for women and their families and to ensure that all aspects of care are carried out. This document contains information on the following:



1.0 Roles and Responsibilities:

It is everybody's role and responsibility to ensure that all communication is documented and that any decisions made are with the family's consent. If there is any doubt of a language barrier, then an interpreter should be involved in their care

1.1 Gynaecologists in conjunction with EPAU for miscarriages and ANNBS for TOP:

- On diagnosis of miscarriage over 14 weeks with no known cause, please see checklist for list of investigations needed
- If 3 or more consecutive miscarriages refer to the recurrent miscarriage clinic
- If termination of pregnancy Refer to the fetal medicine midwife who can arrange follow up care
- Introduce themselves
- Inform parents of situation appropriately
- Arrange for two sonographers to scan to confirm no fetal heartbeat in the case of miscarriages
- Gain consent for termination of pregnancy or to induce miscarriage
- · Ensure a management plan is documented within the maternal records
- · Prescribing medication for induction of miscarriage or termination of pregnancy
- Prescribe regular and PRN analgesia
- Prescribe antiemetics
- Complete legal forms, for termination of pregnancy if applicable
- Discuss and gain consent for postmortem if competent and baby over 16 weeks by fetal size, not dates (Reason: Baby may have demised prior to diagnosis and therefore not suitable for post mortem (See Appendix 3)
- Give emotional support
- Be available for questions
- Provide input if necessary
- Ensure that the patient has the Bereavement Midwives contact details prior to discharge
- Ensure that the patients telephone number is correct
- Provide ongoing care as required
- Ensure Anti D is prescribed if the woman has a Rh-Negative blood group as per departmental guidance

1.2 Nurses

- Introduce themselves
- Provide care and emotional support
- Ensure patient is admitted to a sideroom
- Discuss with Nurse in charge and confirm if partner can stay with patient in a side room
- Obtaining and administrating correctly prescribed medication and Anti D immunoglobulin if woman's blood group is Rh Negative
- · Follow the management plan set by Gynaecologist
- · Follow relevant policy, procedures and guidelines
- Refer to the checklist and ensure it is completed in full
- Give informed choice of care of baby following delivery
- Continuity of care if possible
- Inform the CMWs
- Ensure that the patient has the Bereavement Midwives contact details prior to discharge
- Ensure that the patients telephone number is passed onto the Bereavement midwife
- Inform the Chaplain (if requested)
- Support with the birth of the baby

1.3 Antenatal and Newborn Screening Midwives (if TOP)

Ensure that careful, sympathetic, supportive, and detailed counselling regarding the anomaly has been



provided including the prognosis and probability of effective treatment

- · If opinion at a tertiary hospital is appropriate, ensure that this has been offered and gained if accepted
- · Provide ARC (Antenatal Results and Choices) booklet and other relevant support organisations
- Inform bereavement midwife
- Support for the woman and family
- Complete the Prenatal Screening Checklist (See Appendix 1)
- Prescription of relevant medication completed
- Guidance on: if a TOP is being carried out and it is considered that there is a risk of the baby being born alive; an Obstetrician must attend before and after death as they need to sign the paperwork with the GMC number. This must be documented in the maternal notes
- Guidance on:
 - if admission to the ward is required, arrange a date and time following agreement with patient and ward sister if woman is going to ward 21B.
 - If TOP is performed at the patients request where there is substantial risk that if the child was born it would suffer from such physical or mental abnormalities as to be seriously handicapped (Abortion Act 1967 (as amended) s. 1(1); Ground E, The Abortion Regulations 1991 Sch. 1 (Form HSA1), Sch. 2 (Form HSA4))
 - Women who are having a termination of pregnancy from 16 weeks onwards to be cared for on labour ward
- If TOP, you need to check prior to the procedure, that two Doctors have completed HSA4-form, part 1 HSA1 form must be completed
- After TOP, the doctor carrying out the procedure must complete HSA4-form, part 2

2.0 Implementation and dissemination of document

This document will be used in training healthcare professionals within the Women and Children Division. The document can be accessed electronically via the guidelines and Patient Information System on the Trust's Intranet site

3.0 Processes and procedures

3.1 Psychological support

There are steps that staff can undertake to help parents during their stay. These include:

- Check EDD, for accurate gestational age. Please be mindful that there may have been fetal demise weeks earlier.
- Keeping them fully informed about what is happening or going to happen
- · Being aware of the importance of privacy
- When giving parents information to make choices it may be necessary to repeat yourself. Let them know it is alright to take time and that they can change their minds
- · Whenever possible talk to parents together
- Give parents the opportunity to be with their baby
- Speak honestly to parents, and do not hurry them
- Listen to what they say and do not say
- Remember non-verbal communication skills as well as verbal

The birth environment contributes to the woman's perception and ability to cope

- Admit patient to a side room
- Discuss with Nurse-in-charge if partner can stay with patient overnight if required.
- Offer Chaplaincy / spiritual support
- Once they have left, the baby must go to the mortuary



- Photographs are more effective if taken against a blue or green background. A photograph of the baby being held in a pair of hands is also a nice gesture. Suggest the family take photographs on their phone
- Please discuss photographs If they are reluctant to have any please emphasis that some people do change their minds
- If parents wish to take their baby home and have miscarried before 17+6 weeks, they can BUT the baby must go to the mortuary and be signed out from the mortuary, using the attached release form, (Appendix 8) Never directly from the area they have lost their baby

3.2 Medication

3.2.1 Missed Miscarriage from 12+0 to 12+6

For the medical management of missed miscarriage offer:

• 200 mg oral mifepristone and

• For admission 48 hours later, and administration of 800 micrograms misoprostol (vaginal, oral or sublingual) unless the gestational sac has already been passed.

3.2.2 Mifepristone from 13+0 weeks

At all gestations, regardless of whether there is a uterine scar, a single dose of 200 milligrams oral mifepristone is given after which the mother should be allowed home wherever possible.

Arrangement should be made for admission to hospital 24 hours to 48 hours later (or sooner) if:

- the woman experiences pain or bleeding or has concerns
- she develops an indication for urgent delivery

There is no evidence against earlier induction of labour following mifepristone – induction can occur anytime from 6 hours to 48 hours after administration.

3.2.3 Misoprostol from 13+0 weeks

The required amount of misoprostol not only decreases with increasing gestational age but has also been found to be lower in women where the fetus has died in utero.

Vaginal assessment should be performed prior to commencing vaginal misoprostol. The vaginal route is preferred due to the lower incidence of side effects. However can be given orally.

Misoprostol is available as 200 microgram scored tablet.

Misoprostol should be given 24 hours to 48 hours after mifepristone or earlier when there is an urgent need to deliver.

Scarred uterus:

The risk of uterine rupture with misoprostol, although small, is increased in women with a second trimester fetal loss and one or more previous Caesarean sections or other uterine



scars. This should be discussed with the parents. The misoprostol doses above should be used with caution.

All staff should be vigilant to clinical features that may suggest uterine scar dehiscence or rupture.

• maternal tachycardia, atypical pain, vaginal bleeding, haematuria and maternal collapse

	Fetal Loss 12+0 - 23+6 Weeks	Termination of Pregnancy 12+0 - 23+6 Weeks		
	Unscarred + Scarred uterus	Unscarred Uterus	Scarred Uterus	
Preinduction	Mifepristone 200mg once only			
Normal interval l	Normal interval between mifepristone and misoprostol in 24-48hr, this can be shortened if clinically needed			
Induction	Misoprostol 200mcg 6hrly, for 4 doses	Misoprostol 400mcg 3hrly, for 5 doses	Consider halving dose of Misoprostol: 200mcg 3hrly, for 5 doses	
	Vaginal route preferable due to lower incidence of side effects. (Avoid vaginal route if bleeding or signs of infection)			
If delivery not achieved after the recommended doses above, discuss with Consultant. A second course of misoprostol can be given after a 12 hour interval.				

Pain relief:

Adequate analgesia should be offered. All usual modalities should be made available. If opiate analgesia is chosen, then consider Morphine PCA (discuss with Anaesthetist).

Diet:

A light diet. Give omeprazole 20mg twice a day.

Care on ED / W21

- Please send the white disposal form (always send)
- Send placenta in a dry pot to the laboratory, ensuring that labels are on the pot, not the lid.
- If a baby has a congenital abnormality or dysmorphic features, discuss with the obstetric consultant and if not having a postmortem, send cytogenetics.
- Take a biopsy from the placental cord insertion, place in pink tissue medium (kept in the IV freezer on labour ward) with a Churchill Hospital cytogenetics request form and send with the baby to the mortuary. Forms kept in the plastic filing box in the baby room on labour ward and on ward 21B
- Fill out the congenital abnormalities form and send to ANNB screening (kept in the baby room in the plastic filing box)
- If abnormities are indicated prior to birth, and parents are requesting a postmortem send all relevant paperwork with baby to the mortuary i.e. scan reports. This will help Oxford when a postmortem is being performed.

3.3 Signs of Life

Delivery at gestations from 16 weeks onwards may result in the baby being born with signs of life. Signs of life include spontaneous breathing, spontaneous heartbeat, pulsation of the Unique Identifier Number: MIDW/GL/300 Version: **1.3** Next Review date: **Aug 2026**



umbilical cord or definite movement of voluntary muscles.

Babies born with signs of life should be seen by a doctor at the earliest opportunity, so that in the event of subsequent death, a neonatal death certificate may be issued to the mother. after discussion with the coroner

The baby should be treated with dignity, respect and love and comfort care should be provided. Wrap the baby to keep the baby warm and provide the option of family holding the baby. If the family do not wish to see or hold the baby place the baby in an appropriate size moses basket.

3.4 Viewing the baby

If parents indicate they wish to see their baby, it would be ideal if this could be facilitated before they leave the ward.

3.5 Taking their baby home

If the parents wish to take their baby home and not return the baby, they can if the baby is under 17+6 weeks gestation and not showed signs of life. The baby MUST leave through the mortuary and the release form must be completed, (Appendix 8) It would be their responsibility to make their own arrangements. If they wish to bury their baby in the garden, for instance, if a rented home, they need to get authorisation from their landlord before doing so and deeds may need to be changed. Maybe suggest putting the baby into a planter, so if they move, they can take the baby with them.

3.6 Notification to healthcare services of pregnancy loss

The clinician providing pregnancy loss care prior to discharge is responsible for notifying allied healthcare services about the loss of pregnancy. This will notify obstetrics and gynaecology, ultrasound, ANNB, and community midwives. This will be done via the generation of the 'Eearly pregnancy loss' clinical note. This eCare feature can be used by EPAU staff, ED, Ward 21b and community midwifery teams. Please see appendix 12 for details.



4.0 Statement of evidence/references

Abortion Act 1967. (c. 87). [Online]. Available from: https://www.legislation.gov.uk/ukpga/1967/87/contents [Accessed 16 November 2022]

Al-Dughaishi T, et al (2019) Trends of Patients' Preferences in the Management of First and Early Second Trimester Pregnancy Loss Towards the Choice of Medical or Surgical Termination of Pregnancy in a Tertiary Care Center in Oman, Journal of Reproduction & Infertility, Vol. 20, Iss. 1, (Jan/Mar 2019): 52-56 [Online]. Available from:

https://www.proquest.com/docview/2610404977 [Accessed 16 November 2022]

Coomarasamy A, et al (2021) Sporadic miscarriage: evidence to provide effective care, The Lancet, 2021-05-01, Volume 397, Issue 10285, Pages 1668-1674 [Online]. Available from: https://www.clinicalkey.com/#!/content/journal/1-s2.0-S0140673621006838 [Accessed 16 November 2022]

Chu JJ, et al (2020) Mifepristone and misoprostol versus misoprostol alone for the management of missed miscarriage (MifeMiso): a randomised, double-blind, placebo-controlled trial, The Lancet, Volume 396, Issue 10253, Pages 770-778 [Online]. Available from: https://www.clinicalkey.com/#!/content/journal/1s2.0-S0140673620317888

[Accessed 16 November 2022]

Das A, et al (2021) Comparison of expression of chemokine receptor 4 in maternal decidua and chorionic villi in women with spontaneous miscarriages and women opting for termination of viable pregnancies, Journal of Human Reproductive Sciences, Vol. 14, Iss. 1, (Jan 2021): 68-72. [Online]. Available from: https://www.proquest.com/medline/docview/2532697246/51D3EAD21FA84BA1PQ/132 [Accessed 16 November 2022]

Dugas C, Slane VH (2022) Miscarriage, StatPearls. [Online]. Available from: https://www.ncbi.nlm.nih.gov/books/NBK532992/ [Accessed 16 November 2022]

Elsevier Point of Care (2022) Miscarriage and Recurrent Pregnancy Loss, Clinical Overview. [Online]. Available from:

https://www.clinicalkey.com/#!/content/clinical_overview/67-s2.0-8f91ecbf-e9f2-4579-97fa-54b72988d7cb# [Accessed 16 November 2022]

Lemmers M, et al (2019) Medical treatment for early fetal death (less than 24 weeks) Cochrane Database of Systematic Reviews. [Online]. Available from: https://www.cochranelibrary.com/cdsr/doi/10.1002/14651858.CD002253.pub4/full [Accessed 16 November 2022] National Institute for Health and Care Excellence (2019) Abortion care. NICE guideline [NG140]. [Online]. Available from: https://www.nice.org.uk/guidance/ng140 [Accessed 16 November 2022]

National Institute for Health and Care Excellence (2021) Abortion care. Quality standard [QS199] [Online]. Available from: https://www.nice.org.uk/guidance/qs199 [Accessed 16 November 2022]

National Institute for Health and Care Excellence (NICE) Ectopic pregnancy and miscarriage: diagnosis and initial management (2023) available online at Ectopic pregnancy and miscarriage: diagnosis and initial



management (nice.org.uk) [Accessed 4th September 2023]

Pykett R, Smith SC (2017) Termination of pregnancy, Obstetrics, Gynaecology and Reproductive Medicine, Volume 27, Issue 7, Pages 218-224 [Online]. Available from: <u>https://www.clinicalkey.com/#!/content/journal/1-s2.0-S175172141730091X</u> [Accessed 16 November 2022]

Qureshi H, et al (2014) BCSH guideline for the use of anti-D immunoglobulin for the prevention of haemolytic disease of the fetus and newborn, *Transfusion Medicine*, Volume 24, Issue 1, February 2014, Pages 8-20 [Online]. Available from: https://onlinelibrary.wiley.com/doi/full/10.1111/tme.12091 [Accessed 16 November 2022]

Woo L, et al (2020) Effects of an Early Pregnancy Assessment Clinic (EPAC) on the Management of Spontaneous Abortions, *Journal of Obstetrics and Gynaecology Canada (JOGC)*, Volume 42, Issue 9, Pages 1086-1092 [Online]. Available from:

https://www.clinicalkey.com/#!/content/journal/1-s2.0-S1701216320302644 [Accessed 16 November 2022]

5.0 Governance

5.1 Document review history

Version number	Review date	Reviewed by	Changes made
1.0	August 2023	Jan Liddle Louise Allnatt Katie Selby Tracy Rea Georgina Leroux	N/A
1.1	Jan 2024	Alex Fry	Amended Audit table
1.2	Jan 2024	Tracy Rea, Elaine Gilbert	Amended email addresses to bereavement midwives email. Added 'Once photocopied, put a copy in the notes and send the original copy with the baby'
1.3	March 2024	Alex Fry	Addition of EPAU letter on eCare



5.2 Consultation History

Stakeholders Name/Board	Area of Expertise	Date Sent	Date Received	Comments	Endorsed Yes/No
Sanyal Patel	Obstetric Consultant	10/10/2022	10/10/2022	Anti D link Medication dosages	Yes
Jayne Plant	Librarian	18/11/2022	18/11/2022	References	Yes
Kathryn O'gorman	Fetal medicine midwife	07/11/2022	07/12/2022	TOP checklist	Yes
Maternity Guideline Review Group	Women's Health	06/09/2023		Updated to reflect changes in NICE management of missed miscarriage. Added to checklist cytogenetics appendix	Yes
Maternity Guideline Review Group	Women's Health	03/01/2024	-	Version 1.1 approved as chairman's actions	Yes
Maternity Guideline Review Group	Women's Health	31/01/2024		Version 1.2 approved as chairman's actions	Yes
Maternity Guideline Review Group	Women's Health	06.03.2024		Version 1.3 approved as chairman's action	Yes

5.3 Audit and monitoring

Audit/Monitoring Criteria	ΤοοΙ	Audit Lead		Responsible Committee/Board
Adverse outcomes during medical management of miscarriage and to follow PSIRF pathway	RADAR	Women's Health Governance team	Case by Case	Safety MDT where appropriate



Appendix 1: Checklist for medical Termination of pregnancy

Patient ID Sticker		Date and Signature
Patient telephone number		
Indication for termination o	f pregnancy	
Consent form signed by pa	atient	
HSA1 form signed by two I	registered doctors.	
Preferable the 1 st signature	e by the diagnosing	
fetal medicine consultant b	out where not	
available, one signature to be obtained from a		
consultant		
Pre-Mifepristone		
BP	HR	
Temp	RR	
Sats		
Post-Mifepristone		
BP	HR	
RR Sats		
Blood group		



CARE. COMMUNICATE COLLABORATE. CONTRIBUTE. This document is uncontrolled once printed. Please check on the Trust's Intranet site for the most up to date version.©Milton Keynes University Hospital NHS Foundation Trust

Anti D immunoglobulin 1500 iu to be given intramuscularly on commencement of TOP if blood group is Rh Negative.	
Anti D 1500 units prescribed and given via deltoid muscle	
Dose 1 Date/time Batch no	
MRSA swab sent. DateResult	
COVID Swab sent . (If applicable-Diabetic or Immunocompromised.) DateResult	
Bloods sent. FBC G&S U&Es LFTS	
Clotting	
TCI date discussed with ward 21B nurse in	
charge and the bed manager informed- bleep	
1975	
TCI date	
Date of admission Time	
IV cannula in situ prior to medication	
Anti emetics and analgesia prescribed	
Omeprazole 20mg BD Date and Time	
Prepare room before starting medication and make sure cord clamps x2 available	
Misoprostol prescribed on admission Misoprostol given(Regime in guideline)	





CARE COMMUNICATE COLLABORATE CONTRIBUTE. This document is uncontrolled once printed. Please check on the Trust's Intranet site for the most up to date version.©Milton Keynes University Hospital NHS Foundation Trust

Date Time	
Drs on call aware	
Thereafter: Misoprostol 200micrograms to be prescribed stat for 4 doses at 6 hourly intervals (4 does in 24 hours) can be given vaginally until bleeding starts then to be given orally, sublingually, buccally as patient prefers.	
Dose 1 Time and date	
Dose 2 Time and date	
Dose 3Time and date	
Laboratory form signed with the family's wishes	
Discuss Cytogenetics/Post-mortem (PM if over	
16 weeks in size or over 100g in weight).	
Photocopy twice Check appendix 9 onwards for	
guidance on how to take and complete the	
forms– (copies also in folder on wd 21B) Once	
photocopied, put a copy in the notes and send	
the original copy with the baby	
ARC leaflet given	
Obstetric Scans copied to EDM	
 Sensitive disposal/patient wishes under 13+6/40 leaflet explained and given Or 	
 Sensitive disposal/patient wishes 14- 17+6/40 leaflet explained and given. 	
(Delete as appropriate.)	





CARE COMMUNICATE COLLABORATE CONTRIBUTE. This document is uncontrolled once printed. Please check on the Trust's Intranet site for the most up to date version.©Milton Keynes University Hospital NHS Foundation Trust

Copy given to patient Copy sent to EDM Copy sent to chaplain	
NVF signed by Drs and copy to EDM and copy sent with remains Ecare request also needed and requisition sent with remains.	
Offer: Fetus should be placed in a gown or/and little crib when parents spend time with their baby	
When going to histology, place fetus (in crib) in	
empty white histology pot (label on pot, not lid).	
Ensure placenta is with the fetus (if available)	
Memory box offered (ARC leaflet should have already been given)	
Support from chaplaincy offered or other	
minister of religion as appropriate	
Parents given time to spend with baby if desired, Prompt parents to take photo of baby with their	
phone	
Bereavement midwives informed if	
(Specify) Cytogenetics or Post-mortem has been	
requested to allow follow up with Mr Hanna	
BereavementMidwives@mkuh.nhs.uk	
All women who have a TOP to have a follow up appointment made with fetal medicine Consultant.	
fetalmedicine.preterm@mkuh.nhs.uk	
Date requested	





Inform the obstetric, gynaecology, community midwifery, Ultrasound and ANNB teams via the 'EPAU pregnancy loss' clinical note. Please see appendix 15 for details.



Appendix 2: Medical management of miscarriage

checklist for 12/40 to 17+6/40 Advice can be sort from EPAU on x86434

Patient sticker:		Date and Signature
Patient telephone number		
Miscarriage confirmed by 2 s names:	sonographers. Provide	
Consent by registrar or spec	ialist SHO obtained	
for: Modical management of mic	corriggo	
Medical management of mis and	camaye	
Surgical management of mis	scarriage	
Pre-Mifepristone		
BP	HR	
Temp	RR	
Sats		
Post-Mifepristone		
BP	HR	
RR	Sats	
Blood group		
Anti D immunoglobulin 1500 intramuscularly on diagnosis Negative.	•	
Anti D 1500 units prescribed deltoid muscle	l and given via the	





Dose 1	
Date/time	
Batch no	
MRSA swab sent.	
DateResult	
COVID Swab sent. If applicable-Diabetic or	
immunocompromised.	
DateResult	
Bloods to be sent for over 14 weeks:	
FBC	
G&S	
U&Es	
LFTS	
Clotting	
Doctors also request the Antiphospholipid	
screen (Lupus anticoagulant, Anti Beta2	
glycoprotein 1, Anticardiolipin antibody)+ limited	
thrombophilia screen, (factor v leiden genotype	
prothrombin 20210 gene mutation)	
NB: Samples to arrive between 9am and 11am and then 1pm to 4pm	
Mon to Friday only. This will then avoid lunchtime when there aren't	
many staff around to deal with them. The samples need to be taken and brought to the laboratory within	
1hr and the reception staff made aware of what they are.	
If unable to obtain these bloods in these times places request an	
If unable to obtain these bloods, in these times, please request on ecare the required bloods and ask the woman to attend phlebotomy	
within a week of discharge with the times she can attend (this is to	
ensure screening is still completed prior to bereavement meeting).	
TCI date discussed with ward 21B nurse in charge	
and bed manager informed.	
TCI date	
Date of admission Time	





CARE COMMUNICATE COLLABORATE CONTRIBUTE. This document is uncontrolled once printed. Please check on the Trust's Intranet site for the most up to date version.©Milton Keynes University Hospital NHS Foundation Trust

Prepare room before starting medication and make sure cord clamps x2 available	
Ask women to use bed pan when going to toilet and use them from now on after first dose of Misoprostol	
IV cannula in situ prior to medication	
Anti emetics and analgesia prescribed	
Omeprazole 20mg BD Date and Time	
Misoprostol prescribed Misoprostol given	
Date Time	
Drs on call aware	
There after: Misoprostol 200micrograms to be prescribed stat for 4 doses at 6 hourly intervals (4 does in 24 hours) can be given vaginally until bleeding starts then to be given orally, sublingually, buccally as patient prefers.	
Dose 1 Time and date	
Dose 2 Time and date	
Dose 3 Time and date	
Support from chaplaincy offered or other minister of religion as appropriate.	
Parents given time to spend with baby if desired. Prompt parents to take photo of baby with their phone.	



CARE. COMMUNICATE COLLABORATE CONTRIBUTE. This document is uncontrolled once printed. Please check on the Trust's Intranet site for the most up to date version.©Milton Keynes University Hospital NHS Foundation Trust

Sensitive disposal/patient wishes under 13+6/40 leaflet explained and given Or Sensitive disposal/patient wishes 14-18/40 leaflet	
explained and given.	
Statement I /Statement 2 (Delete as appropriate.) Copy given to patient Copy sent to EDM Copy sent to chaplain	
Non Viable Fetus (NVF) form signed by Drs and copy to EDM and copy sent with remains	
Offer-Fetus should be placed in a gown or/and little crib when parents spend time with their baby	
When going to histology, place fetus (in crib) in empty white histology pot (label on pot, not lid). Ensure placenta is with the fetus if available	
Laboratory form signed with family's wishes	
Discuss Cytogenetics/Post-mortem (PM if over 16 weeks in size or over 100g in weight) by suitable qualified member of staff who has had additional training in taking post mortem consent. Photocopy twice. Check appendix 9 onwards for guidance on how to take and complete the forms– (copies also in folder on wd 21B) Once photocopied, put a copy in the notes and send the original copy with the baby.	
If Rhesus negative Anti D 1500 units to be prescribed given intramuscularly into deltoid muscle after miscarriage	
Date/time of Dose 2	
Batch no.	





CARE COMMUNICATE COLLABORATE CONTRIBUTE. This document is uncontrolled once printed. Please check on the Trust's Intranet site for the most up to date version.©Milton Keynes University Hospital NHS Foundation Trust

Inform the obstetric, gynaecology, community midwifery, Ultrasound and ANNB teams via the 'EPAU pregnancy loss' clinical note. Please see appendix 15 for details.	
Bereavement midwives informed of all losses over	
14 weeks and if (Specify) Cytogenetics or Post-	
mortem has been requested to allow bereavement	
meeting follow up	
BereavementMidwives@mkuh.nhs.uk	
Memory box offered, including miscarriage leaflet	
Discharge advice given	





Appendix 3: Postmortem consent form
Postmortem consent form

Your wishes about the postmortem examination of your baby



Your wishes about the postmortem examination of your baby

Mother	Baby	
Last name	Last name	
First name(s)	First name(s)	
Address	Date of birth	
	Date of death (if liveborn)	
Hospital no.	Hospital no.	
NHS no.	NHS no.	
Date of birth	Gender (if known)	
Consultant	Consultant	
Father/Partner with parental responsibility	Address (if different from the mother's)	
Last name		
First name(s)		
Preferred parent to contact, tel. no.:		
Other, eg, religion, language, interpreter		
 How to fill in this form: Please show what you agree to by writing YES in the relevant boxes. Write NO where you do not agree. Record any variations, exceptions and special concerns in the Notes to the relevant section or in Section 5. Sign and date the form. The person taking consent will also sign and date it. 		
Changing your mind After you sign this form, there is a short time in which you can change your mind about anything you have agreed to.		

[Name, department]		. [tel.]
Before [time]	on [day]	[date]

Please be assured that your baby will always be treated with care and respect.

If you want to change your mind, you must contact:





Section 1: Your decisions about a postmortem examination select one of these 3 options.

A complete postmortem This gives you the most information. It includes an external examination, examining the internal organs, examining small samples of tissue under a microscope, and taking x-rays and medical photographs. Tests may also be done for infection and other problems and the placenta may also be examined.

If you think you may have another baby in the future and are worried that the problem might occur again, a complete postmortem is the best way to try to find out.

I/We agree to a complete postmortem examination.

OR

A limited postmortem This is likely to give less information than a complete post mortem.

A limited postmortem includes an external examination, examining the internal organs in the area(s) of the body that you agree to, examining small samples of tissue under a microscope, and taking x-rays and medical photographs. Tests may also be done for infection and other problems and the placenta may also be examined.

I/We agree to a limited postmortem examination.

Please indicate what can be examined:

abdomen	chest and neck	head	other

OR

An external postmortem This may not give any new information.

An external postmortem includes a careful examination of the outside of the baby's body, x-rays and medical photographs. The placenta may also be examined.

 \neg I/We agree to an external postmortem examination.

Section 2: Tissue samples Only if you consent to a complete or limited postmortem

With your agreement, the tissue samples taken for examination under a microscope will be kept as part of the medical record (in small wax blocks and on glass slides). This is so that they can be re-examined to try to find out more if new tests or new information become available. This could be especially useful if you think you may have another baby in the future.

I/We agree to the tissue samples being kept as part of the medical record for possible re-examination. If consent is not given, you must note below what should be done with the tissue samples. See Section 8 Item 6 for more information.

Notes to Sections 1 and 2 if required

.....



Milton Keynes University Hospital NHS Foundation Trust

This document is uncontrolled once printed. Please check on the Trust's Intranet site for the most up to date version.©Milton Keynes University Hospital NHS Foundation Trust

Section 3: Genetic testing

To examine the baby's chromosomes or DNA for a possible genetic disorder or condition, the pathologist takes small samples of skin, other tissue and/or samples from the placenta (afterbirth). With your agreement, this material will be kept as part of the medical record so that it can be reexamined to try to find out more if new tests or new information become available. This could be especially useful if you think you may have another baby in the future.

I/We agree to genetic testing of samples of skin, other tissue and/or the placenta.
If samples should not be taken from any of these, please note this below.
I/We agree to the genetic material being kept as part of the medical record
for possible re-examination. See Section 8 Item 6 for more information.

Notes to Section 3 if required

Section 4: Keeping tissue samples for training professionals and for research

Section 4 covers additional separate consent that you may decide to give. It will not affect what you have already agreed to above, what is done during the postmortem, or the information you get about your baby's condition, but it may be helpful for others in the future.

With your agreement, the tissue samples may also be examined for quality assurance and audit of pathology services to ensure that high standards are maintained.

I/We agree to the tissue samples being kept and used for quality assurance and audit.

Tissue samples, medical images and other information from the postmortem can be important for training health professionals. Identifying details are always removed when items are used for training.

I/We agree to anonymised tissue samples, images and other relevant information from the postmortem being kept and used for professional training.

Tissue samples, medical images and other relevant information from the postmortem can also be useful in research into different conditions and to try to prevent more deaths in the future. All research must be approved by a Research Ethics Committee.

I/We agree to tissue samples, images and other relevant information from the post mortem being kept and used for ethically approved medical research.

You can withdraw consent for any of the above at any time in the future. To do so, please contact the hospital and ask for the histopathology department.





Section 5: Keeping one or more organs for diagnostic purposes

In most cases, all the organs will be returned to your baby's body after the post mortem examination. But occasionally the doctors may recommend keeping one or more organs for longer, to carry out further detailed examination to try to find out more about why your baby died. This might take some weeks and so could affect the timing of your baby's funeral. The person who discusses the post mortem with you will tell you if it is likely.

I/We agree to further detailed examination of the organ(s) specified below:

Any organ

The following organ(s)

If you agree to further detailed examination, you also need to decide what should be done with the organ(s) after the examination:

I/We want the hospital to dispose of the organ(s) respectfully as required by law. I/We want the organ(s) returned to the funeral director we appoint for

separate cremation or burial.

I/We want to delay the funeral until the organ(s) have been returned to my/our baby's body.

Alternatively, after the further detailed examination, you may decide to donate the organ(s) for one of the following purposes:

I/We agree to donate the organ(s) to be used to train health professionals.

I/We agree to donate the organ(s) to be used for ethically approved medical research.

If you agree to donate one or more organ(s), they will be respectfully cremated as required by the Human Tissue Authority when they are no longer needed.

If you change your mind about this donation at any time in the future, and want to withdraw your consent, please contact the hospital and ask for the histopathology department.

Notes to Section 5 if required

.....

Any other requests or concerns

.....

.....

Do you consent for disposal of the placenta after post-mortem? Yes or NO (Please circle)

If no, would you like it to remain with the baby Yes or No (Please circle)





Section 6: Parental consent

I/We have been offered written information about postmortems.
I/We understand the possible benefits of a postmortem.
My/Our questions about postmortems have been answered.

Mother's name	Signature
Father's/Partner's name	Signature
Date	īme

Section 7: Consent taker's statements To be completed and signed in front of the parents.

] I have read the written information offered to the parents.
I believe that the parent(s) has/have sufficient understanding of a postmortem and
(if applicable) the options for what should be done with tissue and organs to give
valid consent.



I have recorded any variations, exceptions and special concerns.
I have checked the form and made sure that there is no missing or conflicting information.
I have explained the time period within which parents can withdraw or change consent and have entered the necessary information at the beginning of this form.

Name	Position/Grade
Department	Contact details (Ext/Bleep)
Signature	DateTime
Interpreter's statement (if relevant)	
I have interpreted the information abou ability and I believe that they understan	t the postmortem for the parent(s) to the best of my d it.
Name	Contact details
Signature	DateTime
Unique Identifier Number: MIDW/GL/300 Version	: 1.3 Next Review date: Aug 2026



POSTMORTEM / PLACENTA REQUEST FORM FOR HISTOLOGY PAEDIATRIC PATHOLOGY CONTACT INFORMATION

DR D FOWLER
DR CM BOWKER
SECRETARY
MORTUARY OFFICER
LABORATORY

(01865) 220504 (01865) 222022 (01865) 221246 (01865) 220495 (01865) 220492

FOR LABORATORY USE LABORATORY NUMBER:

DATE RECEIVED: PATHOLOGIST: NOTES:

AUTOPSY REFERRALS - BEFORE SENDING THE CASE ALWAYS CONTACT THE DEPARTMENT TO FOREWARN US AND RELAY ANY IMPORTANT INFORMATION.

PLEASE REMEMBER TO INCLUDE THE PLACENTA!

MOTHER'S DETAILS HOSPITAL NO ADDRESS _____ NAME PREV SURNAME CONSULTANT D.O.B WARD LMP_____ HOSPITAL EDD

SPECIMEN / REQUEST	RELEVANT CLINICAL DETAILS AND HISTORY
IS THE REQUEST FOR EXAMINATION OF:	
A STILLBORN / FOETAL DEATH?	
A NEONATAL / INFANT DEATH?	
THE PLACENTA ONLY?	
DATE:	

PAST OBSTETRIC HISTORY							
YEAR	PLACE	SEX	WEIGHT	GESTATION	DELIVERY	COMPLICATIONS	OUTCOME
					•		•
					•		*

HAVE YOU SENT A SAMPLE TO CYTOGENETICS	COMP	COMPLICATIONS IN PRESENT PREGNANCY		
T YES	THREATENED ABORTION	Y / N	GROWTH RESTRICTION	Y / N
	HYPERTENSION	Y / N	OTHER (DETAILS BELOW)	Y / N
	POLYHYDRAMNIOS	Y / N		
	OLIGOHYDRAMNIOS	Y / N		
	APH	Y / N		

RESENT DELIVERY		
	DATE	TIME
FETICIDE (if applicable) MEMBRANE RUPTURE		
1ST STAG	_	
2ND STAG	Ξ	
DELIVER	٢	
	FETICIDE (if applicable) MEMBRANE RUPTURE 1ST STAGE 2ND STAGE	DATE FETICIDE (if applicable)



Milton Keynes University Hospital NHS Foundation Trust

This document is uncontrolled once printed. Please check on the Trust's Intranet site for the most up to date version.©Milton Keynes University Hospital NHS Foundation Trust

	BABY / FOETUS
NAME (if given)	HOSPITAL NO (if applicable)
	PAEDIATRICIAN (if applicable)
DOB	ESTIMATED DATE OF DEATH
WEIGHT AT DELIVERY	ESTIMATED TIME OF DEATH
GESTATION AND/OR AGE	FATHER'S NAME (if different)
· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·

APPEARANCE

BABY / FOETUS / PLACENTA

VERY MACERATED

QUESTIONS FOR THE PATHOLOGIST

PROVISIONAL DIAGNOSES

- PLEASE INCLUDE:
- COPIES OF THE ULTRASOUND SCAN REPORTS
 - COPIES OF ALL GENETICS RESULTS
 - THE PLACENTA
 - POST MORTEM CONSENT FORM

ABNORMALITIES / ANOMALIES

PLEASE GIVE DETAILS OF ANY ABNORMALITIES (and/or attach copies of the prenatal diagnosis scan / genetics reports)

FOR NEONATAL DEATHS	ONLY
NEONATAL COURSE: Brief summary of the neonatal course	DEATH CERTIFICATE (clinical cause of death)
Do the parents agree to disposal of the placental tissue as per Oxford Uni S/BIRTH_& TOP's NOT FOR_ABI NOT Placentas from live born	NORMALITY

CONTACT DETAILS OF MEMBER OF STAFF COMPLETING THIS FORM			
NAME	D	ATE	
SIGNATURE		STATUS	
TELEPHONE NO		BLEEP	





Section 8: Notes for the consent taker

- "Anyone seeking consent for hospital PM examinations should have relevant experience and a good understanding of the procedure. They should have been trained in dealing with bereavement and in the purpose and procedures of PM examinations and they should have witnessed a PM examination" (Human Tissue Authority, Code of Practice 3, 2009).
- 2. Written information about postmortems should be offered to all parents before you discuss the form with them.
- 3. If the parents have a specific request that you are not sure about, contact the pathologist before the form is completed.
- 4. Make sure that an appropriate time and date are entered in the *Changing your mind* section at the beginning of the form, and the parent(s) understand what to do if they change their minds. The postmortem should not begin unless this section is completed. It is your responsibility to ensure that, if the parent(s) change their minds, they will be able to contact the person or department entered on this form. If the parents do not want a copy of the form, they should still be given written information about changing their minds.
- 5. Write the mother's or the baby's hospital number in the box at the foot of each page of the form. For a baby who was born dead at any gestation use the mother's hospital number; for a baby who was born alive use the baby's hospital number.
- 6. Sections 2 and 3: Tissue samples and genetic material If the parents do not want tissue samples or genetic material kept as part of the medical record, explain the different options for disposal (below) and note their decisions in the relevant section.

If disposal is requested, it will usually take place only after the full postmortem report has been completed. The options are disposal by a specialist hospital contractor; release to a funeral director of the parents' choice for burial; or release to the parents themselves. For health and safety reasons, blocks and slides cannot be cremated. Genetic material is normally incinerated.

- 7. Send the completed form to the relevant pathology department, offer a copy to the parent(s), and put a copy into the mother's (for a stillbirth or miscarriage) or the baby's (for a neonatal death) medical record.
- 8. Record in the clinical notes that a discussion about the postmortem examination has taken place, the outcome, and any additional important information.
- 9. **Possible further examination of one or more organs** Very rarely, it may be recommended that an organ is kept for more detailed examination after the baby is released from the mortuary. In this case, the form *Consent to further examination of organs for diagnostic purposes* should be completed, as well as this form.
 - If you already know that this is recommended, discuss it with the parents and also explain how it might affect funeral arrangements. If they consent, complete the form *Consent to further examination of organs for diagnostic purposes* now, and staple the two forms together. Record the consent in the *Notes to Sections 1 and 2* on this form.
 - If the pathologist recommends further examination after the postmortem has begun, they will contact you or the unit. The parents should then be contacted as soon as possible to discuss their wishes and to explain how keeping the organ might affect funeral arrangements. If they consent, the form *Consent to further examination of organs for diagnostic purposes* should be completed and copies distributed as above. A note should be added to the medical record that consent was given, including how it was given (face-to-face, email, fax etc).





Appendix 4: NVF Form

FORM NVF

FOR BURIAL OR CREMATION

CERTIFICATE OF MEDICAL PRACTITIONER OR MIDWIFE IN RESPECT OF NON-VIABLE FOETUS

I HEREBY CERTIFY that I have examined the non-viable foetus.

Of		
Delivered on		
Gestation		
NAME (IN BLOCK (
		(signature)
Address		
	Registered qualifications	
FORM F		
	AUTHORITY TO CREMATE	

AUTHORITY TO CREMATE (to be completed by the Crematorium team only)

Whereas application has been made for the Cremation of the remains of the above-described non-viable fetus.

And whereas I have satisfied myself that all the requirements of the Cremation Acts, 1902 and 1952 and of the Regulations made in pursuance of those Acts, have been complied with, and that there exists no reason for any further enquiry or examination.

I hereby authorize the Superintendent of the Crownhill Crematorium to cremate the said

Date:

Signature:

Medical Referee to the Crownhill Crematorium



Appendix 5: Following pregnancy loss (up to 13 weeks 6 days by scan)

Following pregnancy loss (up to 13 weeks 6 days by scan)

This information page is used on Ward 21b, EPAU, ED, Theatres, DSU and ANNB.

We are very sorry for your loss. We are aware that this is a distressing time for you. You may be wondering what will happen to your baby now. This leaflet has been compiled to give you information about what happens at a time when a pregnancy loss has occurred. We hope the following information will be helpful.

What happens next?

Following an early pregnancy loss, we want to ensure that any products of your pregnancy are handled in a respectful and dignified manner and in accordance with national requirements.

Normal Practice

If you have miscarried before 13 weeks and 6 days of pregnancy, the products of your pregnancy which are passed or removed from your womb will be taken to the laboratory. Later the pregnancy remains will be taken to the Crematorium at Crownhill where a hospital chaplain conducts a short, dignified committal before the pregnancy remains are cremated. The ashes are later scattered in the Children's Garden of Remembrance at Crownhill.

Memorial service

All families who have lost a baby through miscarriage, termination of pregnancy, still birth or a neonatal death are welcome to attend the hospital's annual Act of Remembrance.

The Act of Remembrance is open to everyone, whatever your background or beliefs. You may wish to use the service as an opportunity to reflect, remember and acknowledge the loss of your baby.

The Act of Remembrance is held on the 'Wave of Light' week in October at 3pm. Please get in touch with our Chaplaincy or the Bereavement Midwife on the numbers at the end of this leaflet if you would like to know more. The venue may change on a yearly basis, so please call from June onwards to find out where the service will be held.

Support

Following pregnancy loss, some people are surprised by the strength of their feelings and are not sure how to cope with them.

You may find that you and your partner react differently. These emotions are all valid but can be very confusing. If you would like to talk to someone while you are in hospital, then please ask a nurse to contact the Chaplaincy.

Some numbers which may be useful following discharge are given below.

Useful telephone numbers

Milton Keynes University Hospital





CARE COMMUNICATE COLLABORATE CONTRIBUTE. This document is uncontrolled once printed. Please check on the Trust's Intranet site for the most up to date version.©Milton Keynes University Hospital NHS Foundation Trust This document is uncontrolled once printed. Please check on the Trust's Intranet site for the most up to date version.©Milton Keynes University Hospital NHS Foundation Trust

Hospital Chaplaincy 01908 996062	01908 996061
Bereavement Midwife	01908 997157
Antenatal and newborn screening ANNB	01908 995236 07790935490
National Miscarriage Association info@miscarriageassociation.org.uk	01924 200799





Appendix 6: Statement of wishes following pregnancy loss (14 weeks to 18 weeks)

Statement of wishes following pregnancy loss (14 weeks to 18 weeks)

This form is used on Ward 21, EPAU, ED, Theatres, DSU and ANNB.

We are very sorry for your loss. We are aware that this is a distressing time for you. This leaflet has been compiled to give you information about what happens at a time when a pregnancy loss has occurred. You may want to discuss what will happen to your baby now, what options you have, and what decisions you may have to make. We hope the following information will be helpful.

What happens next?

Following an early pregnancy loss, we want to ensure that any products of your pregnancy are handled in a respectful and dignified manner and in accordance with national requirements.

Normal Practice from 14 to 18 weeks

If you lose your baby after 14 weeks the hospital's normal practice is for a group of up to ten babies to be taken together to Crownhill Crematorium where a hospital chaplain conducts a short, dignified committal service before the babies are cremated together. The ashes are later scattered in the Children's Garden of Remembrance at Crownhill.

If you would like your baby to be taken to Crownhill with other babies in this way, then please sign against Statement 1 on the consent form.

Individual Farewell

Some people prefer to attend a service of farewell for their baby. If you would like to do this then a hospital chaplain can contact, you to discuss your needs. Usually, the service would be at Crownhill Crematorium and conducted by one of the hospital chaplains.

However, if for religious reasons cremation is not appropriate, or if you would like your own minister or faith leader to conduct the service, these needs can usually be accommodated. If you would like to arrange an individual service of farewell for your baby, or if you would like to discuss the options further, then please sign against **Statement 2** on the consent form.

Someone from the Hospital Chaplaincy will contact you to discuss the options with you. Please note that the call will usually show as number withheld. If after three attempts we have been unable to make contact with you, we will write to you. If we have not heard from you in one month from the date of the letter, we will follow our normal practice.





Memorial service

All families who have lost a baby through miscarriage, termination of pregnancy, still birth or a neonatal death are welcome to attend the hospital's annual Act of Remembrance.

The Act of Remembrance is open to everyone, whatever your background or beliefs. You may wish to use the service as an opportunity to reflect, remember and acknowledge the loss of your baby.

The Act of Remembrance is held on the 'Wave of Light' week in October at 3pm. Please get in touch with our Chaplaincy or the Bereavement Midwife on the numbers at the end of this leaflet if you would like to know more. The venue may change on a yearly basis, so please call from June onwards to find out where the service will be held.

Support

Following pregnancy loss, some people are surprised by the strength of their feelings and are not sure how to cope with them.

You may find that you and your partner react differently. These emotions are all valid but can be very confusing. If you would like to talk to someone while you are in hospital then please ask a nurse to contact the Chaplaincy.

Some useful numbers following discharge:

Early Pregnancy Nurses	01908 996434
Hospital Chaplaincy	01908 996061 01908 996062
Bereavement Midwife	01908 997157
Antenatal and newborn screening ANNB	01908 995236 07790935490
National Miscarriage Association info@miscarriageassociation.org.uk	01924 200799



Statement of wishes following pregnancy loss (from 14 to 18 weeks)

Consent form

Name	
Address	
الممتعادية ممتعا بمريعه المنا	
Hospital record number	
Contact number	

Please sign against one of the options below:

Statement 1

I give my consent for the hospital to proceed with a respectful and dignified committal at the crematorium. I do not require any further involvement in this process. (If you would like the cremation to take place without any committal ceremony please also write; 'no committal'.)

Statement 2

Signed

Date

I give my consent for the Hospital Chaplaincy to contact me to discuss arrangements further.

(Please note that hospital procedures mean it may be up to three weeks before you are phoned, and that the call may show as number withheld. Please also note from page 2 what will happen if we cannot contact you.)

Signed

Date

Please sign and return this to the nurse who is looking after you. They will make copies for the Chaplaincy and for your notes and return the original to you.





Appendix 7: Laboratory Procedures Form

LABORATORY PROCEDURES FOR NVFs

Department of Cellular Pathology

Hos. No.....

Mother's Surname.....

NVF Surname if different.....

Any NVF sent to the laboratory will be returned if this form is not completed correctly. Please tick one option in the box below

In ALL cases, a Non-Viable Fetus (NVF) form must be sent direct to the Chaplaincy department and a histology request on ECARE for products of conception either before or after 14 weeks

INVESTIGATIONS REQUIRED (please tick one)

CYTOGENETICS	Y
White, Churchill Hospital, 'Chromosome Analysis' card must be attack	hed to Tissue
Transport Medium. (Kept on maternity and prenatal screening)	
POST MORTEM Only offer after 16 weeks)	Ϋ́
White, 'PM Declaration Form' must be attached.	
(The John Radcliffe Hospital will not carry out a PM without this signe	ed form)
Orange, 'Post Mortem Request' form must be attached.	
<u>NONE</u>	Υ
(The consent form can be found on the Trust documentation: M weeks	iscarriage before and after 24





NHS Foundation Trust NHS Foundation Trust

Appendix 8: Release Form

Form for parents who wish to take their baby home

This is to confirm that (name(s) of parent(s))

of (address),_____

DOB of baby_____

Mothers MRN number_____

Have chosen to take their baby's body from Milton Keynes University Hospital

Ve, the parent(s), hereby take full responsibility for our baby whilst they are in our care. We will (tick as appropriate):
return our baby to the hospital on (date)
our own funeral arrangements.
Parent(s) Name(s) (please print):
SignatureSignature
Date
In case of need or concern please contact the mortuary telephone: 01908 995258




Mortuary only

Μ	
n	
u	
m	
b	
е	
r	
L	
0	
С	
а	
t	
i	
0	
n	
Name of staff member (please print):	
Signature:	Date:
Name of person collecting baby (please print):	
 -Signature:	-Date:

_ _



Appendix 9: How to take cytogenetics



- Cut into the placenta as near to the cord as possible. Take a piece, including maternal (lobes) and fetal (membranes). Take as big a piece as possible to fit into the pink tissue medium.
- Pink tissue medium is kept in the freezer on labour ward at the midwives workstation. Let it thaw for ½ hour.
- Stick maternal label on it and complete the 'Oxford regional genetic laboratories test requests' form (Kept in the filing box on ward 21B-(check the quick-look guide) and send to the pathology department. Put sample and form into a plastic bag (blood sample bag). Make sure the address of Churchills is visible in the bag.
- Send ideally before midday as a courier goes to Oxford daily.



Appendix 10: Cytogenetics form EXAMPLE

OXF OXF	ORD REGIONAL GENETI	CS LABORATORIES TEST REQUEST	
	Please PRINT clearly in black	all point pen as this form will be scanned	
	N.B. Incomplete or illegible request forms, Laboratory contact, consent, an	or inadequately labelled containers, may delay processing d sample dispatch details on reverse of form v3.5 April 2019	9
UKAS MEDICAL 8694			-
PATIENT DETAILS (F	• •	REFERRER DETAILS Consultant / Clinician: Job Title:	
Family name: WOMC	ins shicker	NAME .	
First name(s):		Hospital address:	
Date of birth:		milten Keynes University Hospital	
	Gender: M F U	Millen Keynes University Hospital Standing way, failestone MK65	4
NHS number:			
Hospital number:	1	MKSGREENUG MKUhonhsouk Email: Toto a mana information	
Address:	Ethnic Origin: MUST PUV	(PTO for more information) 0(908 - 660033	5
	Case / Family number:	(if different)	
Destando	NHS Private Please supply the name and address for inverting	Additional copies to:	
Postcode:	NHS Private for invoicing		
For pedigrees please mark / again and date of birth.		priate identify other family members that may be known to the lab with their full name - as you can give . 'easo	e
0.0			
ISV C. A JIE	MISSED MISCONIAS	e at 20/110 Sizo A 16/40	
	6	e at 20/40, Size of 16/40	7
Is the patient or their part	ner pregnant? If YES: gestation at	exampling by scan? Patient wishes to know fetal sex?	D
Is the patient or their part	ner pregnant? If YES: gestation at the give partner's name and DOB:		Dex 5
Is the patient or their part For infertility referrals pleas If this case has been discu	ner pregnant? If YES: gestation at the give partner's name and DOB: ρ and ρ assed with the Clinical Genetics department	Patient wishes to know fetal sex? (Which Stafe's parents usant by Ky please give name of contact in Genetics: Sex of their	As 2
Is the patient or their part For infertility referrals pleas If this case has been discu <u>HIGH RISK SAMPLES</u> : If a spe	ner pregnant? If YES: gestation at the give partner's name and DOB: PCC ssed with the Clinical Genetics department cimen is known to present an infection hazard it mus	Bampling by scan? Patient wishes to know fetal sex? (Which Staffe's Parents want by the please give name of contact in Genetics: Sex of the place	APX J
Is the patient or their part For infertility referrals pleas If this case has been discu <u>HIGH RISK SAMPLES</u> : If a spe <u>Sample requirement</u>	ner pregnant? If YES: gestation at a give partner's name and DOB: POG seed with the Clinical Genetics department cimen is known to present an infection hazard it mus a – further details available from our	Bampling by scan? Patient wishes to know fetal sex? (DL Staft' J Parents usant by the please give name of contact in Genetics: Sex of the bab	Der 3
Is the patient or their part For infertility referrals pleas If this case has been discu <u>HIGH RISK SAMPLES:</u> If a spe <u>Sample requirement</u> For Chromosome analysis, Fit	ner pregnant? If YES: gestation at the give partner's name and DOB: PCC seed with the Clinical Genetics department cimen is known to present an infection hazard it mus <u>6</u> – further details available from our porescence in situ hybridization (FISH): Blood	Bampling by scan? Patient wishes to know fetal sex? DL Stafe's Parents Darents please give name of contact in Genetics: Sex of Energy tbe dearly labelled 'DANGER OF INFECTION' and the infection hazard stated web-site: www.ouh.nhs.uk/geneticslab in LITHIUM HEPARIN (1-5ml) (Tick box if requested)	As x st
Is the patient or their part For infertility referrals pleas If this case has been discu <u>HIGH RISK SAMPLES</u> : If a spe <u>Sample requirement</u> For Chromosome analysis, Fit For Gene sequencing, specific	ner pregnant? If YES: gestation at the give partner's name and DOB: PCC seed with the Clinical Genetics department cimen is known to present an infection hazard it mus a – further details available from our torescence in situ hybridization (FISH): Blood	Bampling by scan? Patient wishes to know fetal sex? (DL Staft' J Parents usant by the please give name of contact in Genetics: Sex of the bab	Acr sh
Is the patient or their part For infertility referrals pleas If this case has been discu <u>HIGH RISK SAMPLES</u> : If a spe <u>Sample requirement</u> For Chromosome analysis, Flu For Gene sequencing, specific <i>N.B. For FRAX testing please</i> Prenatal sample (please ci	ner pregnant? If YES: gestation at the give partner's name and DOB: Point assed with the Clinical Genetics department cimen is known to present an infection hazard it must be - further details available from our prescence in situ hybridization (FISH): Blood mutation tests, dosage, array CGH: Blood send blood in both EDTA and lithium heparin	Bampling by scan? Patient wishes to know fetal sex? DL Staft'S Parents Darent please give name of contact in Genetics: Sex of Energy tbe clearly labelled 'DANGER OF INFECTION' and the infection hazard stated web-site: www.ouh.nhs.uk/geneticslab in LITHIUM HEPARIN (1-5ml) (Tick box if requested) in EDTA (1-5ml) (Tick box if requested) wtc fluid / CVS / Fetal blood Volume (if appropriate)	
Is the patient or their part For infertility referrals pleas If this case has been discu <u>HIGH RISK SAMPLES</u> : If a spe <u>Sample requirement</u> For Chromosome analysis, Flu For Gene sequencing, specific <i>N.B. For FRAX testing please</i> Prenatal sample (please ci <i>N.B. If molecular testing is req</i>	If YES: gestation at the give partner's name and DOB: POR seed with the Clinical Genetics department cimen is known to present an infection hazard it must be - further details available from our torescence in situ hybridization (FISH): Blood mutation tests, dosage, array CGH: Blood send blood in both EDTA and lithium heparin rcle) Amnie uested, a maternal blood sample in EDTA should	Bigstampling by scan? Patient wishes to know fetal sex? Patient wishes to know fetal sex? Parents want by Kripplease give name of contact in Genetics: Sex of their pabelled 'DANGER OF INFECTION' and the infection hazard stated It be dearly labelled 'DANGER OF INFECTION' and the infection hazard stated web-site: www.ouh.nhs.uk/geneticslab in LITHIUM HEPARIN (1-5ml) (Tick box if requested) in EDTA (1-5ml) (Tick box if requested) wtic fluid / CVS / Fetal blood Volume (if appropriate) ml	Ar x st
Is the patient or their part For infertility referrals pleas If this case has been discu <u>HIGH RISK SAMPLES</u> : If a spe <u>Sample requirement</u> For Chromosome analysis, Flu For Gene sequencing, specific <i>N.B. For FRAX testing please</i> Prenatal sample (please ci <i>N.B. If molecular testing is req</i>	If YES: gestation at the give partner's name and DOB: POR seed with the Clinical Genetics department cimen is known to present an infection hazard it mus or - further details available from our torescence in situ hybridization (FISH): Blood send blood in both EDTA and lithium heparin rcle) Amnie uested, a maternal blood sample in EDTA shoul tent blood transfusion or ever had a bor	Bampling by scan? Patient wishes to know fetal sex? DL Staft'S Parents Darent please give name of contact in Genetics: Sex of Energy tbe clearly labelled 'DANGER OF INFECTION' and the infection hazard stated web-site: www.ouh.nhs.uk/geneticslab in LITHIUM HEPARIN (1-5ml) (Tick box if requested) in EDTA (1-5ml) (Tick box if requested) wtc fluid / CVS / Fetal blood Volume (if appropriate)	As sh
Is the patient or their part For infertility referrals pleas If this case has been discu <u>HIGH RISK SAMPLES:</u> If a spe <u>Sample requirement</u> For Chromosome analysis, Flu For Gene sequencing, specific <i>N.B. For FRAX testing please</i> Prenatal sample (please ci <i>N.B. It molecular testing is req</i> Has this patient had a rec Other (Please state)	If YES: gestation at the give partner's name and DOB: POR seed with the Clinical Genetics department cimen is known to present an infection hazard it mus or - further details available from our torescence in situ hybridization (FISH): Blood send blood in both EDTA and lithium heparin role) Amnie uested, a maternal blood sample in EDTA shoul tent blood transfusion or ever had a bor	sampling by scan? Patient wishes to know fetal sex? De Staffe's Parents want by the please give name of contact in Genetics: please give name of contact in Genetics: Sex of the please give name of contact in Genetics: t be clearly labelled 'DANGER OF INFECTION' and the infection hazard stated web-site: www.ouh.nhs.uk/geneticslab in LITHIUM HEPARIN (1-5ml) (Tick box if requested) in EDTA (1-5ml) (Tick box if requested) of also be sent. ml e marrow transplant? Yes / No – if yes give details below Date sample taken: 01/01/2021(ame of person taking sample: Town of the sample taken:	_
Is the patient or their part For infertility referrals pleas If this case has been discu <u>HIGH RISK SAMPLES:</u> If a spe <u>Sample requirement</u> For Chromosome analysis, Flu For Gene sequencing, specific <i>N.B. For FRAX testing please</i> Prenatal sample (please ci <i>N.B. It molecular testing is req</i> Has this patient had a rec Other (Please state)	If YES: gestation at the give partner's name and DOB: POR seed with the Clinical Genetics department cimen is known to present an infection hazard it must be - further details available from our torescence in situ hybridization (FISH): Blood mutation tests, dosage, array CGH: Blood send blood in both EDTA and lithium heparin rocle) Amnie uested, a maternal blood sample in EDTA shoul tent blood transfusion or ever had a bor	sampling by scan? Patient wishes to know fetal sex? De Staffe's Parents want by the please give name of contact in Genetics: please give name of contact in Genetics: Sex of the please give name of contact in Genetics: t be clearly labelled 'DANGER OF INFECTION' and the infection hazard stated web-site: www.ouh.nhs.uk/geneticslab in LITHIUM HEPARIN (1-5ml) (Tick box if requested) in EDTA (1-5ml) (Tick box if requested) of also be sent. ml e marrow transplant? Yes / No – if yes give details below Date sample taken: 01/01/2021(ame of person taking sample: Town of the sample taken:	_
Is the patient or their part For infertility referrals pleas If this case has been discu <u>HIGH RISK SAMPLES:</u> If a spe <u>Sample requirement</u> For Chromosome analysis, Flu For Gene sequencing, specific <i>N.B. For FRAX testing please</i> Prenatal sample (please ci <i>N.B. It molecular testing is req</i> Has this patient had a rec Other (Please state)	If YES: gestation at the give partner's name and DOB: PCC assed with the Clinical Genetics department cimen is known to present an infection hazard it must be - further details available from our correscence in situ hybridization (FISH): Blood armutation tests, dosage, array CGH: Blood assend blood in both EDTA and lithium heparin recte) Amnie uested, a maternal blood sample in EDTA should cent blood transfusion or ever had a bor Calentta N D - please read consent information overla	sampling by scan? Patient wishes to know fetal sex? De Staffe's Parents want by the please give name of contact in Genetics: please give name of contact in Genetics: Sex of the please give name of contact in Genetics: t be clearly labelled 'DANGER OF INFECTION' and the infection hazard stated web-site: www.ouh.nhs.uk/geneticslab in LITHIUM HEPARIN (1-5ml) (Tick box if requested) in EDTA (1-5ml) (Tick box if requested) of also be sent. ml e marrow transplant? Yes / No – if yes give details below Date sample taken: 01/01/2021(ame of person taking sample: Town of the sample taken:	_
Is the patient or their part For infertility referrals pleas If this case has been discu <u>HIGH RISK SAMPLES:</u> If a spe <u>Sample requirement</u> For Chromosome analysis, Flu For Gene sequencing, specific <i>N.B. For FRAX testing please</i> Prenatal sample (please ci <i>N.B. It molecular testing is req</i> Has this patient had a rec Other (Please state)	If YES: gestation at the give partner's name and DOB: POR seed with the Clinical Genetics department cimen is known to present an infection hazard it mus or - further details available from our torescence in situ hybridization (FISH): Blood send blood in both EDTA and lithium heparin role) Amnie uested, a maternal blood sample in EDTA shoul tent blood transfusion or ever had a bor	Patient wishes to know fetal sex? Decision of parents usant by the please give name of contact in Genetics: Sex of their please give name of contact in Genetics: Sex of their please give name of contact in Genetics: Sex of their please give name of contact in Genetics: Sex of their please give name of contact in Genetics: Sex of their please give name of contact in Genetics: Sex of their please give name of contact in Genetics: Sex of their please give name of contact in Genetics: Sex of their please give name of contact in Genetics: Sex of their please give name of contact in Genetics: Sex of their please give name of contact in Genetics: Sex of their please give name of the contact in Genetics: Sex of their please give name of person taking sample: The contact of the conta	62
Is the patient or their part For infertility referrals pleas If this case has been discu <u>HIGH RISK SAMPLES:</u> If a spe <u>Sample requirement</u> For Chromosome analysis, Flu For Gene sequencing, specific <i>N.B. For FRAX testing please</i> Prenatal sample (please ci <i>N.B. It molecular testing is req</i> Has this patient had a rec Other (Please state)	If YES: gestation at the give partner's name and DOB: PCC assed with the Clinical Genetics department cimen is known to present an infection hazard it must be - further details available from our correscence in situ hybridization (FISH): Blood armutation tests, dosage, array CGH: Blood assend blood in both EDTA and lithium heparin recte) Amnie uested, a maternal blood sample in EDTA should cent blood transfusion or ever had a bor Calentta N D - please read consent information overla	sampling by scan? Patient wishes to know fetal sex? De Staffe's Parents want by the please give name of contact in Genetics: please give name of contact in Genetics: Sex of the please give name of contact in Genetics: t be clearly labelled 'DANGER OF INFECTION' and the infection hazard stated web-site: www.ouh.nhs.uk/geneticslab in LITHIUM HEPARIN (1-5ml) (Tick box if requested) in EDTA (1-5ml) (Tick box if requested) of also be sent. ml e marrow transplant? Yes / No – if yes give details below Date sample taken: 01 / 01 / 202 (ame of person taking sample: To Sec To March	62
Is the patient or their part For infertility referrals pleas If this case has been discu <u>HIGH RISK SAMPLES:</u> If a spe <u>Sample requirement</u> For Chromosome analysis, Flu For Gene sequencing, specific <i>N.B. For FRAX testing please</i> Prenatal sample (please ci <i>N.B. It molecular testing is req</i> Has this patient had a rec Other (Please state)	If YES: gestation at the give partner's name and DOB: PCC assed with the Clinical Genetics department cimen is known to present an infection hazard it mus a - further details available from our procescence in situ hybridization (FISH): Blood armutation tests, dosage, array CGH: Blood send blood in both EDTA and lithium heparin recte) Amnio uested, a maternal blood sample in EDTA should the the transfusion or ever had a bor Calcenta N D - please read consent information over Cytygenet	Patient wishes to know fetal sex? Dr. Stafe's Parents want by the please give name of contact in Genetics: Sex of their pade. to clearly labeled DANGER OF INFECTION and the infection hazard stated web-site: www.ouh.nhs.uk/geneticslab in LITHIUM HEPARIN (1-5ml) (Tick box if requested) in EDTA (1-5ml) (Tick box if requested) in EDTA (1-5ml) (Tick box if requested) to clearly labeled DANGER OF INFECTION and the infection hazard stated web-site: www.ouh.nhs.uk/geneticslab in LITHIUM HEPARIN (1-5ml) (Tick box if requested) in EDTA (1-5ml) (Tick box if requested) the fluid / CVS / Fetal blood Volume (if appropriate) ml e marrow transplant? Yes / No - if yes give details below Date sample taken: 01/01/2021(ame of person taking sample: 700 M AMA Plocise ensore parents are aver CS and documenteed on eccare Consent for	24
Is the patient or their part For infertility referrals pleas If this case has been discu HIGH RISK SAMPLES: If a spe Sample requirement For Chromosome analysis, Flu For Gene sequencing, specific N.B. For FRAX testing please Prenatal sample (please ci N.B. If molecular testing is req Has this patient had a red Other (Please state)	If YES: gestation at the give partner's name and DOB: PCC assed with the Clinical Genetics department cimen is known to present an infection hazard it must be - further details available from our correscence in situ hybridization (FISH): Blood armutation tests, dosage, array CGH: Blood assend blood in both EDTA and lithium heparin recte) Amnie uested, a maternal blood sample in EDTA should cent blood transfusion or ever had a bor Calentta N D - please read consent information overla	Patient wishes to know fetal sex? Decision of parents usant by the please give name of contact in Genetics: Sex of their please give name of contact in Genetics: Sex of their please give name of contact in Genetics: Sex of their please give name of contact in Genetics: Sex of their please give name of contact in Genetics: Sex of their please give name of contact in Genetics: Sex of their please give name of contact in Genetics: Sex of their please give name of contact in Genetics: Sex of their please give name of contact in Genetics: Sex of their please give name of contact in Genetics: Sex of their please give name of contact in Genetics: Sex of their please give name of the contact in Genetics: Sex of their please give name of person taking sample: The contact of the conta	62
Is the patient or their part For infertility referrals pleas If this case has been discu HIGH RISK SAMPLES: If a spe Sample requirement For Chromosome analysis, Flu For Gene sequencing, specific N.B. For FRAX testing please Prenatal sample (please ci N.B. If molecular testing is req Has this patient had a red Other (Please state) TEST(S) REQUESTE	If YES: gestation at the give partner's name and DOB: PCC assed with the Clinical Genetics department cimen is known to present an infection hazard it mus a - further details available from our procescence in situ hybridization (FISH): Blood armutation tests, dosage, array CGH: Blood send blood in both EDTA and lithium heparin recte) Amnio uested, a maternal blood sample in EDTA should the the transfusion or ever had a bor Calcenta N D - please read consent information over Cytygenet	Patient wishes to know fetal sex? Dr. Stafe's Parents want by the please give name of contact in Genetics: Sex of their pade. to clearly labeled DANGER OF INFECTION and the infection hazard stated web-site: www.ouh.nhs.uk/geneticslab in LITHIUM HEPARIN (1-5ml) (Tick box if requested) in EDTA (1-5ml) (Tick box if requested) in EDTA (1-5ml) (Tick box if requested) to clearly labeled DANGER OF INFECTION and the infection hazard stated web-site: www.ouh.nhs.uk/geneticslab in LITHIUM HEPARIN (1-5ml) (Tick box if requested) in EDTA (1-5ml) (Tick box if requested) the fluid / CVS / Fetal blood Volume (if appropriate) ml e marrow transplant? Yes / No - if yes give details below Date sample taken: 01/01/2021(ame of person taking sample: 700 M AMA Plocise ensore parents are aver CS and documenteed on eccare Consent for	62
Is the patient or their part For infertility referrals pleas If this case has been discu HIGH RISK SAMPLES: If a spe Sample requirement For Chromosome analysis, Flu For Chromosome analysis, Flu For Gene sequencing, specific N.B. For FRAX testing please Prenatal sample (please ci N.B. If molecular testing is req Has this patient had a rec Other (Please state) TEST(S) REQUESTE Date of receipt:	If YES: gestation at a give partner's name and DOB: POR seed with the Clinical Genetics department climen is known to present an infection hazard it must be - further details available from our rorescence in situ hybridization (FISH): Blood send blood in both EDTA and lithium heparin rocle) Amnie uested, a maternal blood sample in EDTA shoul tent blood transfusion or ever had a bor Condition/Volume: Related Nos:	Patient wishes to know fetal sex? DL Stafe's Parents want by the please give name of contact in Genetics: Sex of their please give name of contact in Genetics: Sex of their please give name of contact in Genetics: Sex of their please give name of contact in Genetics: Sex of their please give name of contact in Genetics: Sex of their please give name of contact in Genetics: Sex of their please give name of contact in Genetics: Sex of their please give name of contact in Genetics: Sex of their please give name of contact in Genetics: Sex of their please give name of contact in Genetics: Sex of their web-site: www.ouh.nhs.uk/geneticsIab in LITHIUM HEPARIN (1-5ml) (Tick box if requested) in EDTA (1-5ml) (Tick box if requested) in EDTA (1-5ml) (Tick box if requested) whice fluid / CVS / Fetal blood Volume (if appropriate) also be sent. e marrow transplant? Yes / No - if yes give details below Date sample taken: 01/01/2021 ame of person taking sample: 70 Sex Normer Place ensore parents are aver CS and documenteed on eccare (CANENT For FISH/QFPCR:	62



CONSENT:

as this becomes available) (b) the use of this sample and the information generated from it to be shared with members of the donor's family and their health professionals (if appropriate). The patient should be advised that the sample may be used anonymously for quality assurance, training and research purposes.

Further Information:

In complying with the Human Tissue Act 2004 all surplus tissue samples are discarded once DNA/RNA has been extracted. Please be aware that anonymised genomic and clinical data may be shared within and beyond the NHS for diagnostic and research purposes

Electronic Reporting via Email:

The Oxford Genetics Laboratories are now offering the option to receive reports by Email. If you would like to receive future reports via this method please provide your email address in the referrer details section (NHS.net email preferred). To set this up, the laboratory will contact you with further information.

Laboratory contact details:

General Enquiries Tel: +44 (0)1865 226001

Duty scientist e-mail: orh-tr.dutyscientist.oxfordgen@nhs.net

Opening hours: 9.00am - 5.00pm Monday - Friday (excluding bank holidays) Put maternal Sheker on pink tosse medium bottle Ckeptin freezer on Labour wards work station -Place in a 'blood bottle bag' and stick onto this form Sample dispatch: Send samples at room temperature by 1st class post or courier to: (For other samples please enquire or consult web-site) Oxford Regional Genetics Laboratories Churchill Hospital **Churchill Hospital Old Road** make sure this Headington address is in View for Oxford OX3 7LE UK the courier N.B. Samples for chromosome analysis should be sent to arrive at the laboratory within 24 hours. Take to pathology- Samples go by Courier Week days until Ipm

For further information about sample requirements and tests available see: www.ouh.nhs.uk/geneticslab

v3.5 April2019



Appendix 11: Blank Cytogenetics form (oxford regional genetics laboratories test request)

Oxford Regional Genetics Laboratories Oxford University Hospitals NHS Foundation Trust The Churchill Hospital Oxford OX3 7LE Admin office: 01865 226001 Email: orh-tr.dutyscientist.oxfordgen@nhs.net Central & South Genomic Laboratory Hub

Oxford Genetics Laboratories

PATIENT DETAILS (Printed label if available)	REFERRER DETAILS	
Family name:	Consultant / Clinician:	Job Title:
First name(s):		
Date of birth:	Hospital address:	
Sex: M F U		
Hospital number:	Email:	Tel No:
Address: Ethnic Origin:	(PTO for more information)	
Case / Family number:	Contact Name: (if different)	
Postcode: NHS Private Plase supply the name and address for invoicing	Additional copies to:	
CLINICAL DETAILS AND FAMILY HISTORY For pedigrees please mark against person sampled with this request card. Where approp and date of birth.		e known to the lab with their full name
Is the patient or their partner pregnant? If YES: gestation at sa	ampling by scan?	
For infertility referrals please give partner's name and DOB:		
If this case has been discussed with the Clinical Genetics department, p	please give name of contact in Gene	tics:
If this case has been discussed with the Clinical Genetics department, HIGH RISK SAMPLES: If a specimen is known to present an infection hazard it must		
	be clearly labelled 'DANGER OF INFECTION	IN' and the infection hazard stated.
HIGH RISK SAMPLES: If a specimen is known to present an infection hazard it must	be clearly labelled 'DANGER OF INFECTIOn web-site: www.ouh.nhs.uk/gen	IN' and the infection hazard stated.
HIGH RISK SAMPLES: If a specimen is known to present an infection hazard it must Sample requirements – further details available from our v	be clearly labelled 'DANGER OF INFECTIOn web-site: <u>www.ouh.nhs.uk/gen</u> n LITHIUM HEPARIN (1-5ml)	IN' and the infection hazard stated.
HIGH RISK SAMPLES: If a specimen is known to present an infection hazard it must Sample requirements – further details available from our of For Chromosome analysis, Fluorescence In Situ Hybridization (FISH): Blood in For gene sequencing, specific mutation tests, dosage, SNP array: Blood in ED	be clearly labelled 'DANGER OF INFECTIOn web-site: <u>www.ouh.nhs.uk/gen</u> n LITHIUM HEPARIN (1-5ml)	N' and the infection hazard stated. eticslab (Tick box if requested)
HIGH RISK SAMPLES: If a specimen is known to present an infection hazard it must Sample requirements – further details available from our of For Chromosome analysis, Fluorescence In Situ Hybridization (FISH): Blood in For gene sequencing, specific mutation tests, dosage, SNP array: Blood in ED	be clearly labelled 'DANGER OF INFECTION web-site: www.ouh.nhs.uk/gen n LITHIUM HEPARIN (1-5ml)	N' and the infection hazard stated. eticslab (Tick box if requested)
HIGH RISK SAMPLES: If a specimen is known to present an infection hazard it must Sample requirements – further details available from our of For Chromosome analysis, Fluorescence In Situ Hybridization (FISH): Blood in For gene sequencing, specific mutation tests, dosage, SNP array: Blood in ED N.B. For FRAX testing please send blood in both EDTA and lithium heparin Has this patient had a recent blood transfusion or ever had a bone Other (Please state) Other (Please state) Other	be clearly labelled 'DANGER OF INFECTION web-site: www.ouh.nhs.uk/gen n LITHIUM HEPARIN (1-5ml)	N' and the infection hazard stated. eticslab (Tick box if requested) (Tick box if requested)
HIGH RISK SAMPLES: If a specimen is known to present an infection hazard it must Sample requirements – further details available from our of For Chromosome analysis, Fluorescence In Situ Hybridization (FISH): Blood in For gene sequencing, specific mutation tests, dosage, SNP array: Blood in ED N.B. For FRAX testing please send blood in both EDTA and lithium heparin Has this patient had a recent blood transfusion or ever had a bone Other (Please state) Other (Please state) Other	be clearly labelled 'DANGER OF INFECTION web-site: www.ouh.nhs.uk/gen n LITHIUM HEPARIN (1-5ml) DTA (1-5ml) e marrow transplant? Date sample me of person taking sample:	N' and the infection hazard stated. eticslab (Tick box if requested) (Tick box if requested)
HIGH RISK SAMPLES: If a specimen is known to present an infection hazard it must Sample requirements – further details available from our of For Chromosome analysis, Fluorescence In Situ Hybridization (FISH): Blood in For gene sequencing, specific mutation tests, dosage, SNP array: Blood in ED N.B. For FRAX testing please send blood in both EDTA and lithium heparin Has this patient had a recent blood transfusion or ever had a bone Other (Please state) taken: Na TEST(S) REQUESTED – please read consent information over NHSE Genomic Medicine Service R/M Code: For Lab Use	be clearly labelled 'DANGER OF INFECTION web-site: www.ouh.nhs.uk/gen n LITHIUM HEPARIN (1-5ml) DTA (1-5ml) a marrow transplant? Date sample me of person taking sample: leaf	N' and the infection hazard stated. eticslab (Tick box if requested) (Tick box if requested)
HIGH RISK SAMPLES: If a specimen is known to present an infection hazard it must Sample requirements – further details available from our of For Chromosome analysis, Fluorescence In Situ Hybridization (FISH): Blood in For gene sequencing, specific mutation tests, dosage, SNP array: Blood in ED N.B. For FRAX testing please send blood in both EDTA and lithium heparin Has this patient had a recent blood transfusion or ever had a bone Other (Please state) taken: Na TEST(S) REQUESTED – please read consent information over NHSE Genomic Medicine Service R/M Code: NHSE Genomic Medicine Service R/M Code:	be clearly labelled 'DANGER OF INFECTION web-site: www.ouh.nhs.uk/gen n LITHIUM HEPARIN (1-5ml) DTA (1-5ml) e marrow transplant? Date sample me of person taking sample:	N' and the infection hazard stated. eticslab (Tick box if requested) (Tick box if requested)



CONSENT:

In submitting this sample the clinician confirms that informed consent has been obtained for (a) storage and testing (current and future testing as this becomes available) (b) the use of this sample and the information generated from it to be shared with members of the donor's family and their health professionals (if appropriate).

If specific consent to any of the above is not given please provide details below.

The patient should be advised that the sample may be used anonymously for quality assurance, training and research purposes.

Further Information:

In complying with the Human Tissue Act 2004 all surplus tissue samples are discarded once DNA/RNA has been extracted. Please be aware that anonymised genomic and clinical data may be shared within and beyond the NHS for diagnostic and research purposes.

Electronic Reporting via Email:

The Oxford Genetics Laboratories are now offering the option to receive reports by Email. If you would like to receive future reports via this method please provide your email address in the referrer details section (NHS.net email preferred). To set this up, the laboratory will contact you with further information.

Laboratory contact details:

General Enquiries Tel: +44 (0)1865 226001

Duty scientist e-mail: orh-tr.dutyscientist.oxfordgen@nhs.net


Opening hours: 9.00am – 5.00pm Monday – Friday (excluding bank holidays)

The following link can be used to access the latest version of this form:

Oxford Genetics Laboratories joint referral form (ouh.nhs.uk)



Appendix 12: Cytogenetics / karyotyping consent form



EXAMPLE

©Milton Keynes University Hospital NHS Foundation Trust This document is uncontrolled once printed. Please check on the Trust's Intranet site for the most up to date version.

Appendix 14 ; PM consent form example

TheMKWay

Sands and the Human Tissue Authority (2013) Post mortem consent form: your wishes about the post mortem examination of your baby incorporating Sands and the Human Tissue Authority (2013) Optional section on retaining organs for the Sands Post mortem consent form.

Postmortem consent form

Your wishes about the postmortem examination of your baby

Milton Keynes

MK


Milton Keynes

©Milton Keynes University Hospital NHS Foundation Trust This document is uncontrolled once printed. Please check on the Trust's Intranet site for the most up to date version.

Your wishes about the postmortem examination of your baby

Mother	Baby
Last name	Last name X
First name(s)	First name(s)
Address	Date of birth
5	Date of death (if liveborn)
Hospital no.	Hospital no.
NHS no.	NHS no.
Date of birth	Gender (if known)
Consultant	Consultant
Father/Partner with parental responsibility	Address (if different from the mother's)
Last name	
First name(s)	
Preferred parent to contact, tel. no.: Plea	ase get a current phone number
Other, eg, religion, language, interpreter	fur out
 How to fill in this form: Please show what you agree to by writing Write NO where you do not agree. Record any variations, exceptions and spe section or in Section 5. Sign and date the form. The person taking 	cial concerns in the Notes to the relevant
have agreed to. If you want to change your mind, you must con [Name, department]	which you can change your mind about anything you ntact: [tel.] 01908996478/80 [date]01.101.01 y Should have at least 24 hrs to vill always be treated with care and respect.

nind



another baby in the future.

In the same samples being kept as part of the medical record for possible re-examination. If consent is not given, you must note below what should be done with the tissue samples. See Section 8 Item 6 for more information.

Notes to Sections 1 and 2 if required lf they say no in Section 2, do they Want the blocks and slides to stay in Oxford or returned with their baby or disposed of

SHE CONTRACTOR CONTRACTOR

Milton Keynes University Hospital NHS Foundation Trust

©Milton Keynes University Hospital NHS Foundation Trust This document is uncontrolled once printed. Please check on the Trust's Intranet site for the most up to date version.

Section 3: Genetic testing

To examine the baby's chromosomes or DNA for a possible genetic disorder or condition, the pathologist takes small samples of skin, other tissue and/or samples from the placenta (afterbirth). With your agreement, this material will be kept as part of the medical record so that it can be re-examined to try to find out more if new tests or new information become available. This could be especially useful if you think you may have another baby in the future.



In agree to genetic testing of samples of skin, other tissue and/or the placenta. If samples should not be taken from any of these, please note this below.



I/ agree to the genetic material being kept as part of the medical record for possible re-examination. See Section 8 Item 6 for more information.

Notes to Section 3 if required

.....

Section 4: Keeping tissue samples for training professionals and for research

Section 4 covers additional separate consent that you may decide to give. It will not affect what you have already agreed to above, what is done during the postmortem, or the information you get about your baby's condition, but it may be helpful for others in the future.

With your agreement, the tissue samples may also be examined for quality assurance and audit of pathology services to ensure that high standards are maintained.

Yes INvergree to the tissue samples being kept and used for quality assurance and audit.

Tissue samples, medical images and other information from the postmortem can be important for training health professionals. Identifying details are always removed when items are used for training.



agree to anonymised tissue samples, images and other relevant information from the postmortem being kept and used for professional training.

Tissue samples, medical images and other relevant information from the postmortem can also be useful in research into different conditions and to try to prevent more deaths in the future. All research must be approved by a Research Ethics Committee.



agree to tissue samples, images and other relevant information from the post mortem being kept and used for ethically approved medical research.

You can withdraw consent for any of the above at any time in the future. To do so, please contact the hospital and ask for the histopathology department.

They can say no

Milton Keynes Milton Keynes OMilton Keynes University Hospital NHS Foundation Trust This document is uncontrolled once printed. Please check on the Trust's Intranet site for the most up to date version.
Section 5: Keeping one or more organs for diagnostic purposes
In most cases, all the organs will be returned to your baby's body after the post mortem examination. But occasionally the doctors may recommend keeping one or more organs for longer, to carry out further detailed examination to try to find out more about why your baby died. This might take some weeks and so could affect the timing of your baby's funeral. The person who discusses the post mortem with you will tell you if it is likely.
Yes I/We agree to further detailed examination of the organ(s) specified below:
The following organ(s). Unless we know the Most likely cause We should encourage any organ
If you agree to further detailed examination, you also need to decide what should be done with the organ(s) after the
ex ination:
I/We want the hospital to dispose of the organ(s) respectfully as required by law.
I/We want the organ(s) returned to the funeral director we appoint for separate cremation or burial.
If we want to delay the funeral until the organ(s) have been returned to my/our baby's body.
Alternatively, after the further detailed examination, you may decide to donate the organ(s) for one of the following purposes:
I/We agree to donate the organ(s) to be used to train health professionals.
I/We agree to donate the organ(s) to be used for ethically approved medical research.
If you agree to donate one or more organ(s), they will be respectfully cremated as required by the Human Tissue Authority when they are no longer needed.
If you change your mind about this donation at any time in the future, and want to withdraw your consent, please
Notes to Section 5 if required
The standard of the second
Any other requests or concerns
Do you consent for disposal of the placenta after post-mortem? Yes or NO (Please circle)
If no, would you like it to remain with the baby Yes or No (Please circle)

23

ŀ

Milton Keynes Milton Milton Milt		
Control University Hospital Control Control Contro Control	TheMK 'ay	ETTER .
EMillion Keynes University Hospital NNS Foundation Trust Mits relevance trust This document is uncontrolled once printed. Please check on the Trust's intranet site for the most up to date version. Section 6: Parental consent Image: Section 7: Consent taker statements To be completed and signed in front of the parents. Image: Section 7: Consent taker's statements To be completed and signed in front of the parents. Image: Section 7: Consent taker's statements To be completed and signed in front of the parents. Image: Section 7: Consent taker's statements to be completed and signed in front of the parents. Image: Section 7: Consent taker's statements to be completed and signed in front of the parents. Image: Section 7: Consent taker's statements to be completed and signed in front of the parents. Image: Section 7: Consent taker's statements to be completed		
Father's/Partner's name Signature Date Time If the fortner (Snt available, you can take over from the motter) Section 7: Consent taker's statements To be completed and signed in front of the parents. Image: Section 7: Consent taker's statements To be completed and signed in front of the parents. Image: Section 7: Consent taker's statements To be completed and signed in front of the parents. Image: Section 7: Consent taker's statements To be completed and signed in front of the parents. Image: Section 7: Consent taker's statements To be completed and signed in front of the parents. Image: Section 7: Consent taker's statements To be completed and signed in front of the parents. Image: Section 7: Consent taker's statements To be completed and signed in front of the parents. Image: Section 7: Consent taker's statements To be completed and signed in front of the parents. Image: Section 7: Consent taker's statements To be completed and signed in front of the parents. Image: Section 7: Consent taker's statements To be completed and signed in front of the parents. Image: Section 7: Consent taker's statements for what should be done with tissue and organs to give valid consent. Image: Section 7: Consent taker form and made sure that there is no missing or conflicting information. Image: Section for the necessary information at the beginning of this form. Image: Section for the parent (free yeart)	©Milton Keynes University Hospital NHS Foundation Trust This document is uncontrolled once printed. Please chec	NHS Foundation Trust
Father's/Partner's name Signature Date Time If the fortner (Snt available, you can take over from the motter, Section 7: Consent taker's statements to be completed and signed in front of the parents. Image: Section 7: Consent taker's statements to be completed and signed in front of the parents. Image: Section 7: Consent taker's statements to be completed and signed in front of the parents. Image: Section 7: Consent taker's statements to be completed and signed in front of the parents. Image: Section 7: Consent taker's statements to be completed and signed in front of the parents. Image: Section 7: Consent taker's statements to be completed and signed in front of the parents. Image: Section 7: Consent taker's statements to be completed and signed in front of the parents. Image: Section 7: Consent taker's statements to be completed and signed in front of the parents. Image: Section 7: Consent taker's statements to be completed and signed in front of the parents. Image: Section 7: Consent taker's statement (s) has/have sufficient understanding of a postmortem and (if applicable) the options for what should be done with tissue and organs to give valid consent. Image: Section 7: Consent taker from and made sure that there is no missing or conflicting information. Image: Section 7: Contact details (Ext/Bleep) Image: Section 7: Contact details (Ext/Bleep) Signature		
Father's/Partner's name Signature Date Time If the fortner (Snt available, you can take over from the motter) Section 7: Consent taker's statements To be completed and signed in front of the parents. Image: Section 7: Consent taker's statements To be completed and signed in front of the parents. Image: Section 7: Consent taker's statements To be completed and signed in front of the parents. Image: Section 7: Consent taker's statements To be completed and signed in front of the parents. Image: Section 7: Consent taker's statements To be completed and signed in front of the parents. Image: Section 7: Consent taker's statements To be completed and signed in front of the parents. Image: Section 7: Consent taker's statements To be completed and signed in front of the parents. Image: Section 7: Consent taker's statements To be completed and signed in front of the parents. Image: Section 7: Consent taker's statements To be completed and signed in front of the parents. Image: Section 7: Consent taker's statements of the parents. Image: Section 7: Consent taker's statement for matches and within which parents can withdraw or change consent and have entered the necessary information at the beginning of this form. Image: Section Section Section Section Section (Grade Section Section (Grade Section Section (Grade Section Se	Section 6: Parental consent	-Parent shand be,
Father's/Partner's name Signature Date Time If the fortner (Snt available, you can take over from the motter, Section 7: Consent taker's statements to be completed and signed in front of the parents. Image: Section 7: Consent taker's statements to be completed and signed in front of the parents. Image: Section 7: Consent taker's statements to be completed and signed in front of the parents. Image: Section 7: Consent taker's statements to be completed and signed in front of the parents. Image: Section 7: Consent taker's statements to be completed and signed in front of the parents. Image: Section 7: Consent taker's statements to be completed and signed in front of the parents. Image: Section 7: Consent taker's statements to be completed and signed in front of the parents. Image: Section 7: Consent taker's statements to be completed and signed in front of the parents. Image: Section 7: Consent taker's statements to be completed and signed in front of the parents. Image: Section 7: Consent taker's statement (s) has/have sufficient understanding of a postmortem and (if applicable) the options for what should be done with tissue and organs to give valid consent. Image: Section 7: Consent taker from and made sure that there is no missing or conflicting information. Image: Section 7: Contact details (Ext/Bleep) Image: Section 7: Contact details (Ext/Bleep) Signature	1/We have been offered written information ab	out postmortems. Altered this phor b
Father's/Partner's name Signature Date Time If the fortner (Snt available, you can take over from the motter, Section 7: Consent taker's statements to be completed and signed in front of the parents. Image: Section 7: Consent taker's statements to be completed and signed in front of the parents. Image: Section 7: Consent taker's statements to be completed and signed in front of the parents. Image: Section 7: Consent taker's statements to be completed and signed in front of the parents. Image: Section 7: Consent taker's statements to be completed and signed in front of the parents. Image: Section 7: Consent taker's statements to be completed and signed in front of the parents. Image: Section 7: Consent taker's statements to be completed and signed in front of the parents. Image: Section 7: Consent taker's statements to be completed and signed in front of the parents. Image: Section 7: Consent taker's statements to be completed and signed in front of the parents. Image: Section 7: Consent taker's statement (s) has/have sufficient understanding of a postmortem and (if applicable) the options for what should be done with tissue and organs to give valid consent. Image: Section 7: Consent taker from and made sure that there is no missing or conflicting information. Image: Section 7: Contact details (Ext/Bleep) Image: Section 7: Contact details (Ext/Bleep) Signature	100 Inderstand the possible benefits of a pos	stmortem. alscussion.
Father's/Partner's name Signature Date Time If the fortner (Snt available, you can take over from the motter, Section 7: Consent taker's statements to be completed and signed in front of the parents. Image: Section 7: Consent taker's statements to be completed and signed in front of the parents. Image: Section 7: Consent taker's statements to be completed and signed in front of the parents. Image: Section 7: Consent taker's statements to be completed and signed in front of the parents. Image: Section 7: Consent taker's statements to be completed and signed in front of the parents. Image: Section 7: Consent taker's statements to be completed and signed in front of the parents. Image: Section 7: Consent taker's statements to be completed and signed in front of the parents. Image: Section 7: Consent taker's statements to be completed and signed in front of the parents. Image: Section 7: Consent taker's statements to be completed and signed in front of the parents. Image: Section 7: Consent taker's statement (s) has/have sufficient understanding of a postmortem and (if applicable) the options for what should be done with tissue and organs to give valid consent. Image: Section 7: Consent taker from and made sure that there is no missing or conflicting information. Image: Section 7: Contact details (Ext/Bleep) Image: Section 7: Contact details (Ext/Bleep) Signature	My/Our questions about postmortems have be	en answered. > Dont always find a
Father's/Partner's name Signature Date Time If the fortner (Snt available, you can take over from the motter, Section 7: Consent taker's statements to be completed and signed in front of the parents. Image: Section 7: Consent taker's statements to be completed and signed in front of the parents. Image: Section 7: Consent taker's statements to be completed and signed in front of the parents. Image: Section 7: Consent taker's statements to be completed and signed in front of the parents. Image: Section 7: Consent taker's statements to be completed and signed in front of the parents. Image: Section 7: Consent taker's statements to be completed and signed in front of the parents. Image: Section 7: Consent taker's statements to be completed and signed in front of the parents. Image: Section 7: Consent taker's statements to be completed and signed in front of the parents. Image: Section 7: Consent taker's statements to be completed and signed in front of the parents. Image: Section 7: Consent taker's statement (s) has/have sufficient understanding of a postmortem and (if applicable) the options for what should be done with tissue and organs to give valid consent. Image: Section 7: Consent taker from and made sure that there is no missing or conflicting information. Image: Section 7: Contact details (Ext/Bleep) Image: Section 7: Contact details (Ext/Bleep) Signature	and the second	cause 50/50.
Date Time If the fartner (Snt available, yau Can take Ordert from the Matter, Section 7: Consent taker's statements To be completed and signed in front of the parents. Image: Section 7: Consent taker's statements To be completed and signed in front of the parents. Image: Section 7: Consent taker's statements To be completed and signed in front of the parents. Image: Section 7: Consent taker's statements To be completed and signed in front of the parents. Image: Section 7: Consent taker's statements To be completed and signed in front of the parents. Image: Section 7: Consent taker's statements To be completed and signed in front of the parents. Image: Section 7: Consent taker's statements To be completed and signed in front of the parents. Image: Section 7: Consent taker's statements To be completed and signed in front of the parents. Image: Section 7: Consent taker's statements To be completed and organs to give valid consent. Image: Section 7: Consent taker's statements of what should be done with tissue and organs to give valid consent. Image: Section 7: Contact details (Image: Section 7: Contact details (Ext/Bleep) Image: Section 7: Contact details (Image: Section 7: Contact details (Image	Mother's name	Signature
Date Time If the fartner (Snt available, you can take oncert from the matter, section 7: consent taker's statements To be completed and signed in front of the parents. Image: Section 7: consent taker's statements To be completed and signed in front of the parents. Image: Section 7: consent taker's statements To be completed and signed in front of the parents. Image: Section 7: consent taker's statements To be completed and signed in front of the parents. Image: Section 7: consent taker's statements To be completed and signed in front of the parents. Image: Section 7: consent taker's statements To be completed and signed in front of the parents. Image: Section 7: consent taker's statements To be completed and signed in front of the parents. Image: Section 7: consent taker's statements To be completed and signed in front of the parents. Image: Section 7: consent taker's statements To be completed and signed in front of the parents. Image: Section 7: consent taker's statements of what should be done with tissue and organs to give valid consent. Image: Section 7: contact details on the parents on the parent on the parent on the parents on the parents on the parents on the parent on the paren	E-th - th (D-th - th	Riemetrum.
Section 7: Consent taker's statements To be completed and signed in front of the parents. Image: Section 7: Consent taker's statements To be completed and signed in front of the parents. Image: Section 7: Consent taker's statements To be completed and signed in front of the parents. Image: Section 7: Consent taker's statements To be completed and signed in front of the parents. Image: Section 7: Consent taker's statements To be completed and signed in front of the parents. Image: Section 7: Consent taker's statements To be completed and signed in front of the parents. Image: Section 7: Consent taker's statements To be completed and signed in front of the parents. Image: Section 7: Consent taker's statements To be completed and signed in front of the parents. Image: Section 7: Consent taker's statement to the parents. Image: Section 7: Contact details (Ext/Bleep) Image: Section 7: Contact details (Ext/Bleep) Signature Date Interpreter's statement (if relevant) Interpreted the information about the postmortem for the parent(s) to the best of my ability and	Father's/Partner's name	Signature
Section 7: Consent taker's statements To be completed and signed in front of the parents. Image: Section 7: Consent taker's statements To be completed and signed in front of the parents. Image: Section 7: Consent taker's statements To be completed and signed in front of the parents. Image: Section 7: Consent taker's statements To be completed and signed in front of the parents. Image: Section 7: Consent taker's statements To be completed and signed in front of the parents. Image: Section 7: Consent taker's statements To be completed and signed in front of the parents. Image: Section 7: Consent taker's statements To be completed and signed in front of the parents. Image: Section 7: Consent taker's statements To be completed and signed in front of the parents. Image: Section 7: Consent taker's statement to the parents. Image: Section 7: Contact details (Ext/Bleep) Image: Section 7: Contact details (Ext/Bleep) Signature Date Interpreter's statement (if relevant) Interpreted the information about the postmortem for the parent(s) to the best of my ability and	IF the Partner 15n+ available, yo	Time
Image: The set of the set of the parents in the parent is the parent	Section 7: Consent taker's statements To	be completed and signed in front of the parents.
Image: Signature Determent (if relevant) Image: Signature Date The preter's statement (if relevant)	11000	
applicable) the options for what should be done with tissue and organs to give valid consent. Image: Contact details (Ext/Bleep) Signature Date Interpreter's statement (if relevant)		
Image: Contact details (Ext/Bleep) Signature Date Interpreter's statement (if relevant)	applicable) the options for what should be dor	ne with tissue and organs to give valid consent.
Image explained the time period within which parents can withdraw or change consent and have entered the necessary information at the beginning of this form. Name Position/Grade Department Mallority Contact details (Ext/Bleep) Signature Date Interpreter's statement (if relevant) I have interpreted the information about the postmortem for the parent(s) to the best of my	Mave recorded any variations, exceptions and	special concerns.
Image explained the time period within which parents can withdraw or change consent and have entered the necessary information at the beginning of this form. Name Position/Grade Department Mallority Contact details (Ext/Bleep) Signature Date Interpreter's statement (if relevant) I have interpreted the information about the postmortem for the parent(s) to the best of my	Ges have checked the form and made sure that the	here is no missing or conflicting information.
Name Position/Grade Department MaleOmity Signature Date Interpreter's statement (if relevant) Interpreted the information about the postmortem for the parent(s) to the best of my ability and	Thave explained the time period within which	parents can withdraw or change consent and have
Department Malexinfy Contact details (Ext/Bleep) Signature Date Time Interpreter's statement (if relevant) Interpreted the information about the postmortem for the parent(s) to the best of my ability and	enclose and not constantly interminant of a region	
Department Malexinfy Contact details (Ext/Bleep) Signature Date Time Interpreter's statement (if relevant) Interpreted the information about the postmortem for the parent(s) to the best of my	Name	osition/Grade
Signature Date Time Interpreter's statement (if relevant) Interpreter's statement (if relevant) Image: Interpreted the information about the postmortem for the parent(s) to the best of my ability and		
Interpreter's statement (if relevant)	Department IV GECVIII C	ontact details (Ext/Bleep)
Interpreter's statement (if relevant)).
I have interpreted the information about the postmortem for the parent(s) to the best of my ability and	Signature D	ateTime
I have interpreted the information about the postmortem for the parent(s) to the best of my ability and	Interpreter's statement (if relevant)	
I believe that they understand it.		ostmortem for the parent(s) to the best of my ability and
	I believe that they understand it.	a COLING THE PERCINCE TO DESCENTING ADDING WITH
- an Interpreter.	a the analy	terpier.
Name	Name IL WUG W	Contact details
I believe that they understand it. Name If USUG an Interpreter Contact details	1 0	
Signature		

.

32

	Mip form	has to be completed
	heMKWay Mus joint	
	case consistences	Milton Keynes
OMIN	comment. on Keynes University Hospital NHS Foundation Trust	University Hospital
		NKS Foundation Trust neck on the Trust's intranet site for the most up to date version.
POS	TMORTEM / PLACENTA REQUEST FORM FO	RHISTOLOGY
	PAEDIATRIC PATHOLOGY CONTACT INFORMATION	FOR LABORATORY USE
	DR D FOWLER (01865) 220504 DR CM BOWKER (01865) 222022	LABORATORY NUMBER:
	SECRETARY (01865) 221246	-DATE RECEIVED:
,	MORTUARY OFFICER (01865) 220495 LABORATORY (01865) 220492	PATHOLOGIST: NOTES:
	AUTOPSY REFERRALS – BEFORE SENDING THE CASE ALWAYS CONTACT THE DEPARTMENT TO	
	FOREWARN US AND RELAY ANY IMPORTANT	
	INFORMATION. PLEASE REMEMBER	TO INCLUDE THE PLACENTA!
	МОТ	HER'S DETAILS
		ADDRESS Part of Sticker.
	HOSPITAL NO	ADDRESS TUPP STOCK
1	1 - Mail	- /
	PREV SURNAME	_ CONSULTANT
	D.O.B	ward maternity
	* LMP Important	HOSPITAL Milton Keynes.
	& EDD Important.	
	L	
	SPECIMEN / REQUEST	RELEVANT CLINICAL DETAILS AND HISTORY
	IS THE DECHEST FOR EVAMINATION OF	
	A STILLBORN / FOETAL DEATH?	e Abription etc.
	A NEONATAL / INFANT DEATH?	Abription etc.
	THE PLACENTA ONLY?	
	OTHER:	
	DATE:	
	Parties and the second of some and second	STAD BURGO SAL SALASING STATES
	PAST OB	STETRIC HISTORY
6		ATION DELIVERY COMPLICATIONS OUTCOME
,	Wings go.	and a france and a france of the second states and the
	and	
1	1.00	
	HAVE YOU SENT A SAMPLE TO	
	CYTOGENETICS	COMPLICATIONS IN PRESENT PREGNANCY
11	YES THREATENED AB	ORTION Y/N GROWTH RESTRICTION YN
×	NO HYPERT	ENSION Y/N OTHER (DETAILS BELOW) Y/N
	POLYHYDR	AMNIOS Y/N
	OLIGOHYDR	AMNIOS Y/N
		APH Y/N
	SUMMARY OF COMPLICATIONS, DELIVERY ETC):	PRESENT DELIVERY DATE TIME
		FETICIDE (if applicable)
		MEMBRANE RUPTURE
	fuir	n CLS 1ST STAGE
		S POSSIBLE DELIVERY
	Mucha	S POSSIBLE DELIVERY

勒



©Milton Keynes University Hospital NHS Foundation Trust

University Hospital NHS Foundation Trust

This document is uncontrolled once printed. Please check on the Trust's Intranet site for the most up to date version.

BABY / FOETUS HOSPITAL NO (if applicable) NAME (if given) 🐳 MUS Knawn PAEDIATRICIAN (if applicable) GENDER (if known) ESTIMATED DATE OF DEATH DOB Important WEIGHT AT DELIVERY Important ESTIMATED TIME OF DEATH GESTATION AND/OR AGE Important FATHER'S NAME (if different) PROVISIONAL DIAGNOSES APPEARANCE what is written on the Scan report? BABY / FOETUS / PLACENTA FRESH . MACERATED VERY MACERATED PLEASE INCLUDE: QUESTIONS FOR THE PATHOLOGIST COPIES OF THE ULTRASOUND SCAN REPORTS COPIES OF ALL GENETICS RESULTS must THE PLACENTA include POST MORTEM CONSENT FORM ABNORMALITIES / ANOMALIES PLEASE GIVE DETAILS OF ANY ABNORMALITIES (and/or attach copies of the prenatal diagnosis scan / genetics reports) you note an abnormality - check with an Obstehrician or paediatrican and then document FOR NEONATAL DEATHS ONLY DEATH CERTIFICATE (clinical cause of death) NEONATAL COURSE: Brief summary of the neonatal course Do the parents agree to disposal of the placental tissue as per Oxford University Hospital protocol? Yes No S/BIRTH & TOP's NOT FOR ABNORMALITY For IUD / NOT Placentas from live born babies). CONTACT DETAILS OF MEMBER OF STAFF COMPLETING THIS FORM CAL DATE NAME STATUS SIGNATURE BLEEP TELEPHONE NO Review date: 01/02/2024 Unique Identifier: MIDWIGL/56 Version: 14.3 34



Appendix 15

ep 1: Open Clinical notes	
p 1: Open Clinical notes Task List Assessments/Fluid Balance Clinical Notes Problems and Diagnoses Form Browser Histories	Step 2: Generate new clinical note
Assessments/Fluid Balance	
Clinical Notes	
Problems and Diagnoses	
Histories	

P	Add Document:	VI.	JAYAK	UMA	AR, LOU	RDE	ES SH	IERII	NE	- 94	5331				-			x
I.																		
*Type:		~			*Author:	Fry	, Alexa	andria	a Sus	an					6			
*Date:	EPAU Letter EPAU Pregnancy Loss	^	GMT		Status:	In	Progr	ess										
Subject:	Gynaecology Adm. Clerking Gynaecology Assessment																	
Associate	Gynaecology Consult Note Gynaecology GP Letters																	
Patient-L	Gynaecology Handover Note																	
*Editor:	Gynaecology Operation Note Gynaecology Other Letters Gynaecology Phone Message																	
Arial	Gynaecology Procedure Note		2 9	X	b C	·	В	<u>U</u>	Ζ	S		畺	∃	4	œ ا	aþ:	Ø	
	Gynaecology Progress Note																	~
	Gynaecology Pt Letters Gynaecology Referrals																	
	Gynaecology Transfer Note																	
	Maternal Antenatal Discharge Summary																	
	Maternal Birth Preferences																	
	Maternal Booking Summary																	
	Maternal Discharge Summary																	
	Maternity Confidential Communique																	
	Newborn Discharge Summary																	
	Neonatal progress note																	¥
<	Patient Letter																>	
	Diabetes Progress Note																	
	Obstetrics Assessment						Sign			Save		Sa	ve &	Clos	e	C	ance	el 👘
	Obstetrics Consult Note																	
	Obstetrics GP Letters																	

Step 4: This will generate a pregnancy loss notification and email the GP, Community midwifery teams, ANNB, obstetrics and gynaecology and ultrasound once signed.

Step 5: The letter will be addressed to the named GP Under Dear Dr Enter "/e" and choose epau/pregloss. Double click and take out EPAU sister and put yourself, with your title



Milton Keynes University Hospital NHS Foundation Trust

This document is uncontrolled once printed. Please check on the Trust's Intranet site for the most up to date version.©Milton Keynes University Hospital NHS Foundation Trust

Appendix 16: Link to government website for pregnancy loss certificate





If you have had a pregnancy loss under 24 weeks you may wish to request a "baby loss certificate" from the government website. Currently registering losses from 1st September 2018. Scan the QR code below for more information.

